


Building Data Summary	
Project ID:	U-HAUL MOVING & STORAGE OF KAPOLEI (Building A)
Location:	91-509 KAPOLEI KA ST KAPOLEI, HI
Scope of Work:	Interior Finishes
Date:	

Item #	Ref. Sheet #	Item Description	Unit	Quantity	Wastage	Quantity w/ Wastage	Unit Material Cost	Total Material Cost	Unit Manhour	Hourly Wage	Unit Labor Cost	Total Labor Cost	Sub Cost	Total Trade Cost
DIVISION.01 GENERAL REQUIREMENTS														
1		Supervision and Coordination	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
2		Submittals and Shop drawings	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
3		Final Cleaning	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
4		Mobilization Costs	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
5		Temporary Control & Facilities	LS	1	0%	1	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Subtotal (General Requirements)														\$ -
DIVISION 09- FINISHES														
Drywall														
First Floor														
Wall Type CC4 (11'-6" H , 10 LF)														
6		D Panels	SF	115	0%	115	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
7		U Panels 'UH-15' Prefinished High Gloss White	SF	115	0%	115	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
8		R-13 Batt Insulation	SF	115	0%	115	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
9		6" Metal Studs @ 24" OC (5 EA , 58 LF)	SF	115	0%	115	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
10		6" Top And Bottom Runner	LF	20	0%	20	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
11		Sealant	LF	20	0%	20	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type CC3 (11'-6" H , 50 LF)														
12		D Panels	SF	1150	0%	1150	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
13		R-13 Batt Insulation	SF	575	0%	575	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
14		6" Metal Studs @ 24" OC (25 EA , 288 LF)	SF	575	0%	575	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
15		6" Top And Bottom Runner	LF	100	0%	100	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
16		Sealant	LF	100	0%	100	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type CC2 (11'-6" H , 50 LF)														
17		5/8" Type X Gypsum Board	SF	495	0%	495	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
18		5/8" Moisture Resistant Gypsum Board	SF	81	0%	81	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
19		U Panels 'UH-15' Prefinished High Gloss White	SF	575	0%	575	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
20		R-13 Batt Insulation	SF	575	0%	575	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
21		6" Metal Studs @ 24" OC (25 EA , 288 LF)	SF	575	0%	575	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
22		6" Top And Bottom Runner	LF	100	0%	100	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type CC1 (11'-6" H , 90 LF)														
23		5/8" Type X Gypsum Board	SF	1035	0%	1035	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
24		U Panels 'UH-15' Prefinished High Gloss White	SF	1035	0%	1035	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
25		R-13 Batt Insulation	SF	1035	0%	1035	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
26		6" Metal Studs @ 24" OC (45 EA , 518 LF)	SF	1035	0%	1035	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
27		6" Top And Bottom Runner	LF	180	0%	180	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
28		Sealant	LF	180	0%	180	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type L (11'-6" H , 4000 LF)														
29		D Panels	SF	46000	0%	46000	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
30		U Panels 'UH-01' Prefinished High Gloss White	SF	46000	0%	46000	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
31		2-1/2" x 1-5/8" Metal Studs @ 30" OC w/ Bracing (1600 EA , 1840 LF)	SF	46000	0%	46000	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
32		2-1/2" x 1-5/8" Top And Bottom Runner	LF	8000	0%	8000	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
33		Sealant	LF	8000	0%	8000	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type K1 (11'-6" H , 1678 LF)														
34		D Panels	SF	19297	0%	19297	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
35		U Panels 'UH-15' Prefinished High Gloss White	SF	19297	0%	19297	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
36		4"x2-1/2" Metal Studs @ 30" OC w/ Bracing (671 EA , 7719 LF)	SF	19297	0%	19297	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
37		4"x2-1/2" Top And Bottom Runner	LF	3356	0%	3356	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
38		Sealant	LF	3356	0%	3356	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type L2 (11'-6" H , 114 LF)														
39		D Panels	SF	1311	0%	1311	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
40		U Panels 'UH-15' Prefinished High Gloss White	SF	1311	0%	1311	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
41		R-13 Batt Insulation	SF	1311	0%	1311	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
42		3-5/8" Metal Studs @ 30" OC w/ Bracing (45 EA , 524 LF)	SF	1311	0%	1311	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
43		3-5/8" Top And Bottom Runner	LF	228	0%	228	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
44		Sealant	LF	228	0%	228	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type J (11'-6" H , 36 LF)														
45		5/8" Type X Gypsum Board	SF	414	0%	414	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
46		5/8" Moisture Resistant Gypsum Board	SF	414	0%	414	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
47		3 5/8" Metal Stud @ 24"OC (18 EA , 207 LF)	SF	414	0%	414	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
48		3 5/8" Top And Bottom Runner	LF	72	0%	72	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
49		R-13 Batt Insulation	SF	414	0%	414	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
50		Sealant	LF	144	0%	144	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type J (11'-6" H , 36 LF)														
51		5/8" Type X Gypsum Board	SF	828	0%	828	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
52		3 5/8" Metal Stud @ 24"OC (18 EA , 207 LF)	SF	414	0%	414	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
53		3 5/8" Top And Bottom Runner	LF	72	0%	72	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
54		R-13 Batt Insulation	SF	414	0%	414	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
55		Sealant	LF	144	0%	144	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type R (11'-6" H , 16 LF)														
56		5/8" Moisture Resistant Gypsum Board	SF	368	0%	368	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
57		2x6 Metal Stud @ 24"OC (8 EA , 92 LF)	SF	184	0%	184	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
58		2x6 Top And Bottom Runner	LF	32	0%	32	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
59		R-13 Batt Insulation	SF	184	0%	184	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
60		Sealant	LF	64	0%	64	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Second Floor														
Wall Type L (10' H , 2378 LF)														
61		D Panels	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
62		U Panels 'UH-01' Prefinished High Gloss White	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
63		2-1/2" x 1-5/8" Metal Studs @ 30" OC w/ Bracing (951 EA , 9512 LF)	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
64		2-1/2" x 1-5/8" Top And Bottom Runner	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
65		Sealant	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type K2 (10' H , 2378 LF)														
66		D Panels	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
67		U Panels 'UH-15' Prefinished High Gloss White	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
68		4"x2-1/2" Metal Studs @ 30" OC w/ Bracing (951 EA , 9512 LF)	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
69		4"x2-1/2" Top And Bottom Runner	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
70		Sealant	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Third Floor														
Wall Type L (10' H , 2378 LF)														
71		D Panels	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
72		U Panels 'UH-01' Prefinished High Gloss White	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
73		2-1/2" x 1-5/8" Metal Studs @ 30" OC w/ Bracing (951 EA , 9512 LF)	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
74		2-1/2" x 1-5/8" Top And Bottom Runner	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
75		Sealant	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type K2 (10' H , 2378 LF)														
76		D Panels	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
77		U Panels 'UH-15' Prefinished High Gloss White	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
78		4"x2-1/2" Metal Studs @ 30" OC w/ Bracing (951 EA , 9512 LF)	SF	23780	0%	23780	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
79		4"x2-1/2" Top And Bottom Runner	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
80		Sealant	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type J1 (10'-0" H , 14 LF)														
81		D Panels	SF	140	0%	140	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
82		5/8" Type X Gypsum Board	SF	140	0%	140	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
83		5/8" Moisture Resistant Gypsum Board	SF	140	0%	140	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
84		2x6 Metal Stud @ 24"OC (7 EA , 70 LF)	SF	140	0%	140	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
85		2x6 Top And Bottom Runner	LF	28	0%	28	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
86		Sealant	LF	56	0%	56	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Wall Type R (10'-0" H , 8 LF)														
87		5/8" Moisture Resistant Gypsum Board	SF	160	0%	160	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
88		2x6 Metal Stud @ 24"OC (4 EA , 40 LF)	SF	80	0%	80	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
89		2x6 Top And Bottom Runner	LF	16	0%	16	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
90		R-13 Batt Insulation	SF	80	0%	80	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
91		Sealant	LF	32	0%	32	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
Fourth Floor														
Wall Type L (12' H , 2378 LF)														
92		D Panels	SF	28536	0%	28536	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	

Building Data Summary	
Project ID:	U-HAUL MOVING & STORAGE OF KAPOLEI (Building A)
Location:	91-509 KAPOLEI KA ST KAPOLEI, HI
Scope of Work:	Drywall
Date:	

Item #	Ref. Sheet #	Item Description	Unit	Quantity	Wastage	Quantity w/ Wastage	Unit Material Cost	Total Material Cost	Unit Manhour	Hourly Wage	Unit Labor Cost	Total Labor Cost	Sub Cost	Total Trade Cost
93		U Panels 'UH-01' Prefinished High Gloss White	SF	28536	0%	28536	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
94		2-1/2" x 1-5/8" Metal Studs @ 30" OC w/ Bracing (951 EA , 11414 LF)	SF	28536	0%	28536	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
95		2-1/2" x 1-5/8" Top And Bottom Runner	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
96		Sealant	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Wall Type K2 (12' H , 2378 LF)												
97		D Panels	SF	28536	0%	28536	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
98		U Panels 'UH-15' Prefinished High Gloss White	SF	28536	0%	28536	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
99		4"x2-1/2" Metal Studs @ 30" OC w/ Bracing (951 EA , 11414 LF)	SF	28536	0%	28536	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
100		4"x2-1/2" Top And Bottom Runner	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
101		Sealant	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Ceiling												
		First Floor												
102		2x4 Acoustic Ceiling Tile w/ Grid System At Break Room	SF	128	0%	128	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
103		2x4 Acoustic Ceiling Tile w/ Grid System At Office Room	SF	85	0%	85	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
104		5/8" Water Resistant Gypsum Board Ceiling w/ Framing At Restroom	SF	91	0%	91	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Third Floor												
105		5/8" Water Resistant Gypsum Board Ceiling w/ Framing At Restroom	SF	45	0%	45	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Flooring												
		First Floor												
106		(12"x12") Ceramic Tile ' Tile F' Color: Beige	SF	92	0%	92	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		3rd Floor												
107		(12"x12") Ceramic Tile ' Tile F' Color: Beige	SF	46	0%	46	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Wall Finishes												
		First Floor												
108		(4'x4') FRP Panel (Detail Not Given)	SF	32	0%	32	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
109		Paint @ Wall (P28) (Detail Not Given)	SF	2760	0%	2760	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
110		Paint @ Wall (P1) (Detail Not Given)	SF	812	0%	812	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
111		Paint @ Wall (P67) (Detail Not Given)	SF	155	0%	155	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
112		(12"x12") Ceramic Tile "Tile-W" Color: Beige Pattern: Staggered	SF	102	0%	102	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Second Floor												
113		Paint @ Wall (P1) (Detail Not Given)	SF	750	0%	750	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
114		(4'x4') FRP Panel (Detail Not Given)	SF	32	0%	32	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Third Floor												
115		(4'x4') FRP Panel (Detail Not Given)	SF	32	0%	32	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
116		Paint @ Wall (P1) (Detail Not Given)	SF	750	0%	750	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
117		Paint @ Wall (P67) (Detail Not Given)	SF	770	0%	770	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
118		(12"x12") Ceramic Tile "Tile-W" Color: Beige Pattern: Staggered	SF	52	0%	52	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Fourth Floor												
119		(4'x4') FRP Panel (Detail Not Given)	SF	32	0%	32	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
120		Paint @ Wall (P1) (Detail Not Given)	SF	1032	0%	1032	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Transition												
		First Floor												
121		Ceramic Tile To Concrete	LF	6	0%	6	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Third Floor												
122		Ceramic Tile To Concrete	LF	3	0%	3	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Wall Base												
		First Floor												
123		Kick Plate "UH-05"	LF	3936	0%	3936	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
124		(10") Ceramic Tile "Tile-W" Color: Beige Pattern: Staggered	LF	48	0%	48	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
125		4"x4'-0" Vinyl Cove Base "VCB" Manuf: Armstrong Color: Black Finish: Standard Texture	LF	268	0%	268	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Second Floor												
126		Kick Plate "UH-05"	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Third Floor												
127		Kick Plate "UH-05"	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Fourth Floor												
128		Kick Plate "UH-05"	LF	4756	0%	4756	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Ceiling Finishes												
		First Floor												
129		Painted MR Gypsum Board Ceiling (PTD -P1)	SF	91	0%	91	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Third Floor												
130		Painted MR Gypsum Board Ceiling (PTD -P1)	SF	45	0%	45	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Doors Finishes												
		Factory Primed-Field Paint U-Haul Black(P101)												
		First Floor												
131		Paint @ Single Leaf Door w/ Trim & Frame	EA	160	0%	160	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
132		Paint @ Double Leaf Door w/ Trim & Frame	EA	99	0%	99	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Second Floor												
133		Paint @ Single Leaf Door w/ Trim & Frame	EA	225	0%	225	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
134		Paint @ Double Leaf Door w/ Trim & Frame	EA	107	0%	107	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Third Floor												
135		Paint @ Single Leaf Door w/ Trim & Frame	EA	225	0%	225	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
136		Paint @ Double Leaf Door w/ Trim & Frame	EA	107	0%	107	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Fourth Floor												
137		Paint @ Single Leaf Door w/ Trim & Frame	EA	205	0%	205	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
138		Paint @ Double Leaf Door w/ Trim & Frame	EA	121	0%	121	\$ -	\$ -	0.000	\$ -	\$ -	\$ -	\$ -	
		Subtotal (Finishes)						\$ -				\$ -		\$ -
												PROJECTED COST	\$	-
												INSURANCE	0%	\$ -
												CONTINGENCY	0%	\$ -
												OVERHEAD AND PROFIT	0%	\$ -
												SUGGESTED BID	\$	-

[illegible]

NEW MULTI-STORY BUILDING WITH SELF-STORAGE AND TRUCK TRAILER SHOWROOM. BUILDING CONSISTS OF TYPE 1B AT FIRST FLOOR AND TYPE 1B AT FLOORS 2,3, AND 4. FIRST FLOOR STRUCTURAL SYSTEM CONSISTS OF 3HR RATED COLUMNS AND BEAMS WITH 3HR RATED HORIZONTAL BEAMS BETWEEN 1ST AND 2ND FLOOR. FLOORS 2 THROUGH 4 ARE NON RATED WALLS AND FLOORS CONSISTING OF STEEL LOAD BEARING LOCKERS WALLS AND CONCRETE FLOOR SLAB. FOUNDATION CONSISTING OF A CONCRETE FLOOR SLAB AND TURN DOWN SLAB. EXTERIOR WALL CONSISTS OF CONCRETE BLOCK AND INSULATION. INTERIOR WALLS, FLOOR SLABS, ROOF SLABS, ROOFING AND CEILING FINISHES ARE FURTHER DEFINED WITHIN WALL TYPE PARTITIONS, ROOF PLANS, AND WITHIN FINISH SCHEDULE. SEE CIVIL DRAWINGS FOR SITE INFORMATION.

BUILDING:	INTERNATIONAL BUILDING CODE 2018, WITH CURRENT STATE AMENDMENTS
ENERGY:	INTERNATIONAL ENERGY CONSERVATION CODE 2018, WITH CURRENT STATE AMENDMENTS
FUEL GAS:	HAWAII LP GAS CODE 2017
PLUMBING:	UNIFORM PLUMBING CODE 2021, WITH CURRENT STATE AMENDMENTS
DPP:	HONOLULU DEPARTMENT OF PLUMBING AND PERMITTING RULES RELATING TO ADMINISTRATION OF CODES
ELECTRICAL:	NATIONAL ELECTRIC CODE 2020, WITH CURRENT STATE AMENDMENTS
FIRE:	2018 NFPA WITH LOCAL AMENDMENTS
ACCESSIBILITY:	AMERICAN WITH DISABILITIES ACT GUIDELINES 2010

NAME: DEPARTMENT OF PLANNING AND PERMITTING
ADDRESS: FRANK F. FASI MUNICIPAL BUILDING
650 S. KING ST
HONOLULU, HI 96813
PHONE: 808-768-8000

CAST IN PLACE CONCRETE
STRUCTURAL STEEL CONSTRUCTION
COLD-FORMED STEEL CONSTRUCTION
ANCHOR BOLTS IN PRE-DRILLED HOLES IN EXISTING CONCRETE OR CONCRETE MASONRY
SOILS CONSTRUCTION/PAVING - SEE 5001 "SOILS CONSTRUCTION" FOR MORE INFORMATION


AREA	COMMENTS / CODE REFERENCE	
OCCUPANCY(IES)	MIXED OCCUPANCY SHOWROOM - M MERCANTILE STORAGE - S-1 STORAGE	CHAPTER 6, SECTION 508 M: 101, 102, 103 S: 101, 102, 103, 508
CONSTRUCTION TYPE	I-LA AT FIRST STORY, I-B AT SECOND, THIRD, AND FOURTH STORY	CHAPTER 6
BUILDING HEIGHT / AREA	STORIES HEIGHT (FT) AREA (SQ. FT. / FLOOR)	TABLE 503, SECTION 506 PLEASE SEE T200
	ACTUAL TYPE I-B-LA* TYPE I-B - 3	
	52.70	50
	1,616.71	101, 102, 103 101, 102
	FIRST FLOOR SHOWROOM	101, 102, 103 101, 102
	STORAGE	101, 102
	SELF-STORAGE	101, 102
	FIRST FLOOR TOTAL	101, 102
	SECOND FLOOR TOTAL	101, 102
	THIRD FLOOR TOTAL	101, 102
	FOURTH FLOOR TOTAL	101, 102
	TOTAL	101, 102
OCCUPANCY SEPARATION	NOT REQUIRED	SECTION 508.3
FIRE PREVENTION	FIRE SPRINKLER(S) PROVIDED THROUGHOUT FIRE EXTINGUISHER(S) PROVIDED THROUGHOUT FIRE ALARMS PROVIDED THROUGHOUT FIRE DEPT. CONNECTION 19 OR EQUIV.	SECTION 903 SECTION 907 SECTION 908 SECTION 912
EGRESS/OCCUPANT LOAD	LOCATION AREA FACTOR OCCUPANTS	SECTION 1004
	FIRST FLOOR SHOWROOM	101, 102, 103 101, 102
	STORAGE	101, 102
	SELF-STORAGE	101, 102
	CORRIDORS	101, 102
	FIRST FLOOR TOTAL	101, 102
	SECOND FLOOR TOTAL	101, 102
	CORRIDORS	101, 102
	SECOND FLOOR TOTAL	101, 102
	THIRD FLOOR TOTAL	101, 102
	FOURTH FLOOR TOTAL	101, 102
	TOTAL	101, 102

DOT ACCESS	OCCUPANCY COMMON PATH OF GROSS TRAVEL (FT) MAX ACCESS TRAIL OR CORRIDOR (FT) MAX SEND END CORRIDOR (FT)	5-1 700 250 50	SECTION 1014.3 TABLE 1014.1 SECTION 1015.4
REQUIRED PLANNING FIXTURES	OCCU- PANTS WATER CLOSET LINA- TORES DRAIN- ING FOUNTAIN SPRINK SNK	1 1 1 1 1 1 1	IPC TABLE 403.1
ACCESSIBLE SELF-SERVICE STORAGE FACILITIES	SHOWER (M) SELF-STORAGE (0-5) 1 7-1	50 75 1 2 1 1 1 1	TABLE 1108.3
LOCATION	BUILDING A	TOTAL LOCKERS 1,200	MINIMUM ACCESSIBLE 31 RW 120,220,320

			COMMENTS / CODE REFERENCE
BUILDING ENVELOPE REQUIREMENTS	CLIMATE ZONE	1A	BUILDING THERMAL ENVELOPE CONFORMS TO THE PRESCRIPTIVE BUILDING ENVELOPE REQUIREMENTS OF SECTION 1402.1 OF THE CODE.
	INSULATION ROOF	R-19+R-1.5	
	MASS ("TYP")	R-5 To 1	
	METAL BUILDING	R-5 To 1 + R-5 to 1	
	METAL FRAMED WALL	R-13 + R-5 to 1	
	G.C. (UNCASTED)		
	OPAQUE DOORS	U-0.31	
	NON-SHEDDING		
	VENTILATION	U-0.31	
	FIRE	U-0.50	
	OPENABLE	U-0.62	
	ENTRANCE DOORS	U-0.63	
	VAPOR BARRIER	NOT REQUIRED	SECTION 1402.3

REFER TO U-HAUL INTERNATIONAL STANDARD SPECIFICATIONS FOR MATERIAL, INSTALLATION AND FINISH REQUIREMENTS.
ALL SELECTIONS ARE SUBJECT TO APPROVAL BY OWNER-NO SUBSTITUTIONS

1. ALL WORK SHALL COMPLY WITH ALL APPLICABLE CODES AND ORDINANCES.
2. CONTRACTOR SHALL BECOME FAMILIAR WITH ALL AMERCO REQUIREMENTS PRIOR TO BIDDING, AND SHALL BE RESPONSIBLE FOR COMPLIANCE WITH THOSE REQUIREMENTS.
3. FIELD VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION. NOTIFY ARCHITECT/AMERCO REPRESENTATIVE OF ANY DISCREPANCIES.
4. ITEMS NOT INDICATED IN THESE DOCUMENTS THAT CAN BE LEGITIMATELY AND REASONABLY DEEMED NECESSARY FOR THE WORK SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AS THOUGH IF WERE DETAILED. HODEN, CHANGE REQUESTS FOR MATERIALS SHALL BE DISTRIBUTED TO SUB-CONTRACTORS.
5. DRAWINGS SHALL BE NOTED BY SUB-CONTRACTORS IN COMPLIANCE AS INDICATED BY SHEET INDEX. GENERAL CONTRACTOR IS RESPONSIBLE FOR NOTIFYING SUB-CONTRACTORS OF ALL ITEMS ASSOCIATED WITH THEIR RESPECTIVE TRADES.
6. THE CONTRACTOR WILL INSPECT THE PREMISES PRIOR TO BIDDING TO VERIFY EXISTING WORKING CONDITIONS. SUCH CONDITIONS BE IDENTIFIED WHICH ARE BELIEVED TO AFFECT THE WORK. ANY SUCH WORKING CONDITIONS IDENTIFIED PRIOR TO BIDDING, MUST BE REPORTED IMMEDIATELY TO ARCHITECT/AMERCO REPRESENTATIVE. FAILURE TO DO SO SHALL BE CONSIDERED AS ACCEPTANCE OF THE WORKING CONDITIONS. THE CONTRACTOR IS EXPECTED CONDITIONS AND INTENDS TO PERFORM PER BID WITH NO ALLOWANCE THEREIN. IN TIME OR ISSUE, WRITTEN NOTIFICATION TO AMERCO AND ARCHITECT/AMERCO OF ANY DISCREPANCIES AND/OR VIOLATIONS OF THE WRITING DATA OF INSPECTION.
7. CONTRACTOR SHALL FURNISH ALL DIMENSIONS AND CONDITIONS, IN THE FIELD, IF DISCREPANCY, PRIOR TO BIDDING. IF DISCREPANCY, PRIOR TO BIDDING, IS UNDISCOVERED, CONTRACTOR SHALL SUBMIT A CLARIFICATION REQUEST TO ARCHITECT/AMERCO REPRESENTATIVE AND OBTAIN RESOLUTION BEFORE COMMENCING WORK. IT IS THE PORTION OF THE CONTRACTOR TO OBTAIN RESOLUTION.
8. ALL MANUFACTURED ARTICLES, MATERIALS AND EQUIPMENT SHALL BE APPLIED, INSTALLED, CONNECTED, ERECTED, USED, CLEANED, AND CONDITIONED IN ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS, INSTRUCTIONS OR INSTRUCTIONS UNLESS HEREAFTER SPECIFIED TO THE CONTRARY.
9. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK, USING HIS BEST SKILL AND JUDGMENT. HE SHALL BE RESPONSIBLE FOR ALL CONSTRUCTION, INSTALLATION, MAINTENANCE, METHODS, TECHNIQUES, SEQUENCES, AND PROCEDURES AND FOR COORDINATING ALL PORTIONS OF THE WORK UNDER THE CONTRACT.
10. DIMENSIONS TAKE PRECEDENCE OVER SCALE ON CONSTRUCTION DOCUMENTS.
11. ALL WORK SHALL BE EXECUTED IN A NEAT AND WORKMANLIKE MANNER, ACCEPTABLE FINISH.
12. WHEN WORK NOT SPECIFICALLY CALLED OUT IS REQUIRED TO "COMPLETE" THE PROJECT, THE WORK SHALL BE PROVIDED IN ACCORDANCE WITH GENERAL NOTES 12, 13, AND 16.
13. CONTRACTOR SHALL GUARANTEE, IN WRITING, THE WORKMANSHIP AND MATERIALS FOR A PERIOD OF ONE YEAR FROM THE DATE OF SUBSTANTIAL COMPLETION.
14. UNLESS OTHERWISE SPECIFICALLY NOTED, THE CONTRACTOR SHALL PROVIDE AND PAY FOR ALL LABOR, MATERIALS, EQUIPMENT, TOOLS, CONSTRUCTION EQUIPMENT AND MATERIALS, AND TRANSPORTATION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND COMPLETION OF THIS PROJECT.
15. THE CONTRACTOR WARRANTS TO ARCHITECT/AMERCO REPRESENTATIVE, THAT ALL MATERIALS AND EQUIPMENT FURNISHED FOR THIS PROJECT SHALL BE CONFORMANCE UNLESS OTHERWISE SPECIFIED, AND THAT ALL WORK WILL BE GOOD QUALITY FREE FROM FAULTS AND DEFECTS, AND IN CONFORMANCE WITH THE CONSTRUCTION DOCUMENTS. THE CONTRACTOR SHALL CORRECT ANY WORKING CONDITIONS IDENTIFIED AS DEFECTIVE. IF IT IS UNDERSTOOD THAT NO DEFECTS OR NON-COMPLYING WORK OR MATERIALS WILL BE REQUIRED TO BE CORRECTED, THE CONTRACTOR SHALL BE REQUIRED TO INCORPORATED INTO THE WORK OR AT ANY TIME BEFORE OR AFTER THE FINAL INSPECTION. THE CONTRACTOR SHALL FURNISH SATISFACTORY EVIDENCE AS TO THE KIND AND QUALITY OF MATERIALS AND EQUIPMENT FURNISHED FOR THIS PROJECT.
16. THE WARRANTIES AND GUARANTEES REQUIRED BY THE CONSTRUCTION DOCUMENTS, SHALL BE IN ADDITION TO AND NOT IN LIMITATION OF ANY OTHER WARRANTY OR GUARANTEE OR REMEDY REQUIRED BY LAW OR BY THE CONSTRUCTION DOCUMENTS.
17. CONTRACTOR TO COORDINATE WITH AWAY, SPRINKLER CONTRACTOR, CIVIL ENGINEER, AND MECHANICAL ENGINEER. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL PERMITS. LOCATION SHALL BE APPROVED BY OWNER PRIOR TO INSTALLATIONS OR FABRICATION.
18. CONTRACTOR TO COORDINATE EXPANDABILITY OF ALL STAND ALONE PRE-ENGINEERED BUILDINGS. PRE-ENGINEERED BUILDINGS SHALL BE DESIGNED TO ALLOW FOR THE FOLLOWING:
19. ELEVATIONS SHOWN (SEE BASED OFF OF THE FACILITY MAGNUS AND DIRECTIONAL STORAGE, MAKING BOOK (DSO) BOOK, PRIOR TO ORDERING AND INSTALLATION OF MATERIAL/CONSTRUCTION WITH THE LATEST DSO BOOK, CONTACT FACILITY MAGNUS GROUP, OWNERS REPR. AND CONTRACTOR TO COORDINATE WITH THE DSO BOOK).



PROPOSED MIX									
LOCALITY	PERCENT								
	WPT	W	SWPT	SW	SP	SP	WPT	W	SWPT
91-0	0	100%	0%	0%	100%	0%	0%	100%	0%
91-5	0	100%	0%	0%	100%	0%	0%	100%	0%
91-10	0	100%	0%	0%	100%	0%	0%	100%	0%
91-15	0	100%	0%	0%	100%	0%	0%	100%	0%
91-20	0	100%	0%	0%	100%	0%	0%	100%	0%
91-25	0	100%	0%	0%	100%	0%	0%	100%	0%
91-30	0	100%	0%	0%	100%	0%	0%	100%	0%
91-35	0	100%	0%	0%	100%	0%	0%	100%	0%
91-40	0	100%	0%	0%	100%	0%	0%	100%	0%
91-45	0	100%	0%	0%	100%	0%	0%	100%	0%
91-50	0	100%	0%	0%	100%	0%	0%	100%	0%
91-55	0	100%	0%	0%	100%	0%	0%	100%	0%
91-60	0	100%	0%	0%	100%	0%	0%	100%	0%
91-65	0	100%	0%	0%	100%	0%	0%	100%	0%
91-70	0	100%	0%	0%	100%	0%	0%	100%	0%
91-75	0	100%	0%	0%	100%	0%	0%	100%	0%
91-80	0	100%	0%	0%	100%	0%	0%	100%	0%
91-85	0	100%	0%	0%	100%	0%	0%	100%	0%
91-90	0	100%	0%	0%	100%	0%	0%	100%	0%
91-95	0	100%	0%	0%	100%	0%	0%	100%	0%
92-0	0	100%	0%	0%	100%	0%	0%	100%	0%
92-5	0	100%	0%	0%	100%	0%	0%	100%	0%
92-10	0	100%	0%	0%	100%	0%	0%	100%	0%
92-15	0	100%	0%	0%	100%	0%	0%	100%	0%
92-20	0	100%	0%	0%	100%	0%	0%	100%	0%
92-25	0	100%	0%	0%	100%	0%	0%	100%	0%
92-30	0	100%	0%	0%	100%	0%	0%	100%	0%
92-35	0	100%	0%	0%	100%	0%	0%	100%	0%
92-40	0	100%	0%	0%	100%	0%	0%	100%	0%
92-45	0	100%	0%	0%	100%	0%	0%	100%	0%
92-50	0	100%	0%	0%	100%	0%	0%	100%	0%
92-55	0	100%	0%	0%	100%	0%	0%	100%	0%
92-60	0	100%	0%	0%	100%	0%	0%	100%	0%
92-65	0	100%	0%	0%	100%	0%	0%	100%	0%
92-70	0	100%	0%	0%	100%	0%	0%	100%	0%
92-75	0	100%	0%	0%	100%	0%	0%	100%	0%
92-80	0	100%	0%	0%	100%	0%	0%	100%	0%
92-85	0	100%	0%	0%	100%	0%	0%	100%	0%
92-90	0	100%	0%	0%	100%	0%	0%	100%	0%
92-95	0	100%	0%	0%	100%	0%	0%	100%	0%
93-0	0	100%	0%	0%	100%	0%	0%	100%	0%
93-5	0	100%	0%	0%	100%	0%	0%	100%	0%
93-10	0	100%	0%	0%	100%	0%	0%	100%	0%
93-15	0	100%	0%	0%	100%	0%	0%	100%	0%
93-20	0	100%	0%	0%	100%	0%	0%	100%	0%
93-25	0	100%	0%	0%	100%	0%	0%	100%	0%
93-30	0	100%	0%	0%	100%	0%	0%	100%	0%
93-35	0	100%	0%	0%	100%	0%	0%	100%	0%
93-40	0	100%	0%	0%	100%	0%	0%	100%	0%
93-45	0	100%	0%	0%	100%	0%	0%	100%	0%
93-50	0	100%	0%	0%	100%	0%	0%	100%	0%
93-55	0	100%	0%	0%	100%	0%	0%	100%	0%
93-60	0	100%	0%	0%	100%	0%	0%	100%	0%
93-65	0	100%	0%	0%	100%	0%	0%	100%	0%
93-70	0	100%	0%	0%	100%	0%	0%	100%	0%
93-75	0	100%	0%	0%	100%	0%	0%	100%	0%
93-80	0	100%	0%	0%	100%	0%	0%	100%	0%
93-85	0	100%	0%	0%	100%	0%	0%	100%	0%
93-90	0	100%	0%	0%	100%	0%	0%	100%	0%
93-95	0	100%	0%	0%	100%	0%	0%	100%	0%
94-0	0	100%	0%	0%	100%	0%	0%	100%	0%
94-5	0	100%	0%	0%	100%	0%	0%	100%	0%
94-10	0	100%	0%	0%	100%	0%	0%	100%	0%
94-15	0	100%	0%	0%	100%	0%	0%	100%	0%
94-20	0	100%	0%	0%	100%	0%	0%	100%	0%
94-25	0	100%	0%	0%	100%	0%	0%	100%	0%
94-30	0	100%	0%	0%	100%	0%	0%	100%	0%
94-35	0	100%	0%	0%	100%	0%	0%	100%	0%
94-40	0	100%	0%	0%	100%	0%	0%	100%	0%
94-45	0	100%	0%	0%	100%	0%	0%	100%	0%
94-50	0	100%	0%	0%	100%	0%	0%	100%	0%
94-55	0	100%	0%	0%	100%	0%	0%	100%	0%
94-60	0	100%	0%	0%	100%	0%	0%	100%	0%
94-65	0	100%	0%	0%	100%	0%	0%	100%	0%
94-70	0	100%	0%	0%	100%	0%	0%	100%	0%
94-75	0	100%	0%	0%	100%	0%	0%	100%	0%
94-80	0	100%	0%	0%	100%	0%	0%	100%	0%
94-85	0	100%	0%	0%	100%	0%	0%	100%	0%
94-90	0	100%	0%	0%	100%	0%	0%	100%	0%
94-95	0	100%	0%	0%	100%	0%	0%	100%	0%
95-0	0	100%	0%	0%	100%	0%	0%	100%	0%
95-5	0	100%	0%	0%	100%	0%	0%	100%	0%
95-10	0	100%	0%	0%	100%	0%	0%	100%	0%
95-15	0	100%	0%	0%	100%	0%	0%	100%	0%
95-20	0	100%	0%	0%	100%	0%	0%	100%	0%
95-25	0	100%	0%	0%	100%	0%	0%	100%	0%
95-30	0	100%	0%	0%	100%	0%	0%	100%	0%
95-35	0	100%	0%	0%	100%	0%	0%	100%	0%
95-40	0	100%	0%	0%	100%	0%	0%	100%	0%
95-45	0	100%	0%	0%	100%	0%	0%	100%	0%
95-50	0	100%	0%	0%	100%	0%	0%	100%	0%
95-55	0	100%	0%	0%	100%	0%	0%	100%	0%
95-60	0	100%	0%	0%	100%	0%	0%	100%	0%
95-65	0	100%	0%	0%	100%	0%	0%	100%	0%
95-70	0	100%	0%	0%	100%	0%	0%	100%	0%
95-75	0	100%	0%	0%	100%	0%	0%	100%	0%
95-80	0	100%	0%	0%	100%	0%	0%	100%	0%
95-85	0	100%	0%	0%	100%	0%	0%	100%	0%
95-90	0	100%	0%	0%	100%	0%	0%	100%	0%
95-95	0	100%	0%	0%	100%	0%	0%	100%	0%
96-0	0	100%	0%	0%	100%	0%	0%	100%	0%
96-5	0	100%	0%	0%	100%	0%	0%	100%	0%
96-10	0	100%	0%	0%	100%	0%	0%	100%	0%
96-15	0	100%	0%	0%	100%	0%	0%	100%	0%
96-20	0	100%	0%	0%	100%	0%	0%	100%	0%
96-25	0	100%	0%	0%	100%	0%	0%	100%	0%
96-30	0	100%	0%	0%	100%	0%	0%	100%	0%
96-35	0	100%	0%	0%	100%	0%	0%	100%	0%
96-40	0	100%	0%	0%	100%	0%	0%	100%	0%
96-45	0	100%	0%	0%	100%	0%	0%	100%	0%
96-50	0	100%	0%	0%	100%	0%	0%	100%	0%
96-55	0	100%	0%	0%	100%	0%	0%	100%	0%
96-60	0	100%	0%	0%	100%	0%	0%	100%	0%
96-65	0	100%	0%	0%	100%	0%	0%	100%	0%
96-70	0	100%	0%	0%	100%	0%	0%	100%	0%
96-75	0	100%	0%	0%	100%	0%	0%	100%	0%
96-80	0	100%	0%	0%	100%	0%	0%	100%	0%
96-85	0	100%	0%	0%	100%	0%	0%	100%	0%
96-90	0	100%	0%	0%	100%	0%	0%	100%	0%
96-95	0	100%	0%	0%	100%	0%	0%	100%	0%
97-0	0	100%	0%	0%	100%	0%	0%	100%	0%
97-5	0	100%	0%	0%	100%	0%	0%	100%	0%
97-10	0	100%	0%	0%	100%	0%	0%	100%	0%
97-15	0	100%	0%	0%	100%	0%	0%	100%	0%
97-20	0	100%	0%	0%	100%	0%	0%	100%	0%
97-25	0	100%	0%	0%	100%	0%	0%	100%	0%
97-30	0	100%	0%	0%	100%	0%	0%	100%	0%
97-35	0	100%	0%	0%	100%	0%	0%	100%	0%
97-40	0	100%	0%	0%	100%	0%	0%	100%	0%
97-45	0	100%	0%	0%	100%	0%	0%	100%	0%
97-50	0	100%	0%	0%	100%	0%	0%	100%	0%
97-55	0	100%	0%	0%	100%	0%	0%	100%	0%
97-60	0	100%	0%	0%	100%	0%	0%	100%	0%
97-65	0	100%	0%	0%	100%	0%	0%	100%	0%
97-70	0	100%	0%	0%	100%	0%	0%	100%	0%
97-75	0	100%	0%	0%	100%	0%	0%	100%	0%
97-80	0	100%	0%	0%	100%	0%	0%	100%	0%
97-85	0	100%	0%	0%	100%	0%	0%	100%	0%
97-90	0	100%	0%	0%	100%	0%	0%	100%	0%
97-95	0	100%	0%	0%	100%	0%	0%	100%	0%
98-0	0	100%	0%	0%	100%	0%	0%	100%	0%
98-5	0	100%	0%	0%	100%	0%	0%	100%	0%
98-10	0	100%	0%	0%	100%	0%	0%	100%	0%
98-15	0	100%	0%	0%	100%	0%	0%	100%	0%
98-20	0	100%	0%	0%	100%	0%	0%	100%	0%
98-25	0	100%	0%	0%	100%	0%	0%	100%	0%
98-30	0	100%	0%	0%	100%	0%	0%	100%	0%
98-35	0	100%	0%	0%	100%	0%	0%	100%	0%
98-40	0	100%	0%	0%	100%	0%	0%	100%	0%
98-45	0	100%	0%	0%	100%	0%	0%	100%	0%
98-50	0	100%	0%	0%	100%	0%	0%	100%	0%
98-55	0	100%	0%	0%	100%	0%	0%	100%	0%
98-60	0	100%	0%	0%	100%	0%	0%	100%	0%
98-65	0	100%	0%	0%	100%	0%	0%	100%	0%
98-70	0	100%	0%	0%	100%	0%	0%	100%	0%
98-75	0	100%	0%	0%	100%	0%	0%	100%	0%
98-80	0	100%	0%	0%	100%	0%	0%	100%	0%
98-85	0	100%	0%	0%	100%	0%	0%	100%	0%
98-90	0	100%	0%	0%	100%	0%	0%	100%	0%
98-95	0	100%	0%	0%	100%	0%	0%	100%	0%
99-0	0	100%	0%	0%	100%	0%	0%	100%	0%
99-5	0	100%	0%	0%	100%	0%	0%	100%	0%
99-10	0	100%	0%	0%	100%	0%	0%	100%	0%
99-15	0	100%	0%	0%	100%	0%	0%	100%	0%
99-20	0	100%	0%	0%	100%	0%	0%	100%	0%
99-25	0	100%	0%	0%	100%	0%	0%	100%	0%
99-30									

SHEET NUMBER	SHEET NAME
	GENERAL
000	COVER SHEET
T200	FIRE RATED ASSEMBLY DIAGRAM
T201	FIRST FLOOR EGRESS PLAN
T202	SECOND FLOOR EGRESS PLAN
T203	THIRD FLOOR EGRESS PLAN
T204	FOURTH FLOOR EGRESS PLAN
T301	TYPICAL ADA STANDARDS
T401	UL LISTINGS & BUILDING ENVELOPE REPORT
T402	UL LISTINGS
	ARCHITECTURAL

A101	BUILDING SITE PLAN	SHEET NUMBER	SHEET NAME
A200	WALL TYPE LIST		
A201	FIRST FLOOR LOOKER PLAN		STRUCTURAL
A202	SECOND FLOOR LOOKER PLAN	S800	ROOF FRAMING
A203	THIRD FLOOR LOOKER PLAN	S801	ROOF FRAMING
A204	FOURTH FLOOR LOOKER PLAN	S900	STAIR FRAMING
A210	FIRST FLOOR EXTERIOR WALL DIMENSIONING PLAN	S901	STAIR FRAMING
A211	SECOND FLOOR EXTERIOR WALL DIMENSIONING PLAN	S910	CANOPY FRAMING
A212	THIRD FLOOR EXTERIOR WALL DIMENSIONING PLAN	S920	COMPOSITE TILT
A213	FOURTH FLOOR EXTERIOR WALL DIMENSIONING PLAN	S921	TILT-UP PANEL
A230	SLAB DEPRESSION PLAN		MECHANICAL
A301	FIRST FLOOR PLAN AND NOTES	M001	MECHANICAL CO
A401	BUILDING ELEVATIONS	M002	MECHANICAL SC
A402	BUILDING ELEVATIONS	M003	MECHANICAL SP
A501	BUILDING SECTIONS	M101	MECHANICAL PL
A502	WALL SECTIONS AND DETAILS	M102	MECHANICAL PL
A503	WALL SECTIONS AND DETAILS	M103	MECHANICAL PL
A504	WALL SECTIONS AND DETAILS	M104	MECHANICAL PL
A505	WALL SECTIONS AND DETAILS	M105	MECHANICAL ENL
A506	WALL SECTIONS AND DETAILS	M201	MECHANICAL DET
A507	WALL SECTIONS AND DETAILS	M202	MECHANICAL DET
A508	WALL SECTIONS AND DETAILS		PLUMBING
A509	WALL SECTIONS AND DETAILS	P001	PLUMBING COVER
A510	WALL SECTIONS AND DETAILS	P002	PLUMBING SPEC
A601	ENLARGED SHOWROOM PLAN	P101	PLUMBING PLAN
A602	ENLARGED SHOWROOM WALL ELEVATIONS	P102	PLUMBING PLAN
A603	ENLARGED SHOWROOM WALL ELEVATIONS	P103	PLUMBING PLAN
A604	ENLARGED STORAGE WALL ELEVATIONS	P104	PLUMBING PLAN
A605	ENLARGED STORAGE WALL ELEVATIONS	P105	PLUMBING WASTE
A610	ENLARGED STORAGE ROOM 121 PLAN	P106	PLUMBING WATER
A611	ENLARGED STORAGE ROOM 121 ELEVATIONS	P201	PLUMBING DETAIL
A620	ENLARGED STORAGE ENTRANCE PLAN & WALL ELEVATIONS	P202	PLUMBING DETAIL
A621	ENLARGED LOBBY/LOUNGE PLAN AND ELEVATION GRADE LEVEL LOBBY	P203	PLUMBING DETAIL
A623	ENLARGED GYM AND LOBBY/LOUNGE WALL SECTION CT		ELECTRICAL
A631	ENLARGED ELEVATOR SECTION IN GROUND DOUBLE	E001	ELECTRICAL DETAIL
A632	ENLARGED DOUBLE ELEVATOR PLANS	E002	ELECTRICAL DETAIL
A633	ENLARGED RESPROOM SHEET	E101	SITE ELECTRICAL
A634	ENLARGED INF/COMM ROOM WALL ELEVATIONS	E102	SITE LIGHTING PLAN
A640	ENLARGED INTERIOR STAIR PLANS AND SECTIONS	E201	POWER PLAN -
A641	ENLARGED INTERIOR STAIR PLANS AND SECTIONS	E202	POWER PLAN -
A642	STAIR DETAILS AND SECTIONS	E203	POWER PLAN -
A643	STAIR DETAILS	E204	POWER PLAN -
A701	DOOR SCHEDULE	E205	POWER PLAN -
A702	WINDOWS	E301	HVAC AND PLUM
A703	FRESH SCHEDULE	E302	HVAC AND PLUM
A901	SINGLE LEVEL LOAD BEARING STORAGE ASSEMBLY FLOOR PLANS & DETAILS	E303	HVAC AND PLUM
A911	SINGLE LEVEL LOAD BEARING STORAGE ASSEMBLY WALL SECTION & DETAILS	E304	HVAC AND PLUM
A912	SINGLE LEVEL LOAD BEARING STORAGE ASSEMBLY WALL PANEL ELEVATIONS	E401	LIGHTING PLAN
A913	SINGLE LEVEL LOAD BEARING STORAGE ASSEMBLY WALL PANEL ELEVATIONS	E402	LIGHTING PLAN
A900	STORAGE LOCKER COMPONENTS	E403	LIGHTING PLAN
	STRUCTURAL	E404	LIGHTING PLAN

5000	GENERAL STRUCTURE NOTES	E501	ONE-LINE DIAGRAM
5001	SPECIAL INSPECTION	E502	PANEL SCHEDULE
5100	FIRST FLOOR FOUNDATION PLAN	E601	ENERGY CODE CALCULATION
5101	FIRST FLOOR SHEARWALL PLAN		FIRE PROTECTION
5200	SECOND FLOOR FRAMING PLAN	FP101	FIRE SPRINKLER
5201	SECOND FLOOR SHEARWALL PLAN	FP102	FIRE SPRINKLER
5300	THIRD FLOOR FRAMING PLAN	FP103	FIRE SPRINKLER
5301	THIRD FLOOR SHEARWALL PLAN	FP104	FIRE SPRINKLER
5400	FOURTH FLOOR FRAMING PLAN	FP500	FIRE SPRINKLER
5401	FOURTH FLOOR SHEARWALL PLAN		FIRE ALARM
5500	ROOF FRAMING PLAN	F001	FIRE ALARM INS.
5600	FOUNDATION DETAILS	F100	FIRE ALARM LAY.
5601	FOUNDATION DETAILS	F101	FIRE ALARM LAY.
5602	FOUNDATION DETAILS	F102	FIRE ALARM LAY.
5700	FLOOR FRAMING DETAILS	F103	FIRE ALARM LAY.
5701	FLOOR FRAMING DETAILS	F200	FIRE ALARM RIS.
5702	FLOOR FRAMING DETAILS		
5703	X-BRACED FRAMES		
5704	FIRE RATED DETAILS		

[illegible]

AMERCO
REAL ESTATE COMPANY

CONSTRUCTION DEPARTMENT
2727 NORTH CENTRAL AVENUE
PHOENIX, ARIZONA 85004
PH: (602) 263-6502

SITE ADDRESS:
UHAIL OF KAPOLEI
91-509 KAPOLEI KAI ST
KAPOLEI, HI 96707
BUILDING A
TAK - (1) 9-1-175-019

SHEET CONTENTS:

COVER SHEET


100

705074

DRAWN:	BY:	
--------	-----	--

CHECKED:	BG	000
----------	----	-----

DATE:		01/10/2024
-------	--	------------



- NOTES
1. MINIMUM CLEAR HEIGHT IN ROOM 108 & 121 OF 11'-4" FOR OVERHEAD DOOR AND TRACK MINIMUM CLEAR HEIGHT OF 10'-6" FOR REST OF ROOM.
 2. FOLLOW "DESIGN DRAWING" OR DWG FROM UHI PHOENIX.
 3. ALL LOCKER DOORS LABELED WITH A 9 ARE INOPERABLE.

1 FIRST FLOOR LOCKER PLAN

- LOAD BEARING LOCKER PARTITION:
 (C)-15 4"x2-1/2" STEEL CEE STUD POST,
 15" O.C. WITH MBI U-PANEL ONE SIDE (TYP.).
 (REFER TO STRUCTURAL DRAWINGS FOR
 GAUGE). (C)-15 18GA. MID RAIL BRACING PER
 STRUCTURAL. SEE WALL TYPE NOTE 7.
- NON-LOAD BEARING LOCKER PARTITION:
 UN-08 2-1/2"x1-5/8" CEE STUDS AT
 5'-0" O.C. WITH MBI U-PANEL ONE SIDE.
 PREFINISHED MBI D-PANEL AT AISLES.

MAXIMUM HEIGHT OF D-PANEL AT HALLWAYS/STAIRS AND
 U-PANEL AT DIMMING WALLS SHOULD NOT EXCEED 10 FT.
 REFER TO STRUCTURAL FOR HEIGHT OF U-PANEL AT SHEAR
 AND LOAD BEARING WALLS.

WALL TYPE NOTES

1. WATER-RESISTANT GYPSUM WALL BOARD TO BE USED AT ALL RESTROOMS, AND WITHIN STORAGE 108 ALONG SINK WALL.
 (VERIFY LOCATIONS AS SHOWN ON THE BUILDING FLOOR PLANS.)
2. PREFINISHED D-PANEL TO APPLIED OVER GYPSUM WALL BOARD AT METAL STUD WALL TYPES THAT OCCUR AT AISLES.
 (VERIFY LOCATIONS AS SHOWN ON THE BUILDING FLOOR PLANS.)
3. 7 5/8 INCHES EQUIVALENT THICKNESS - 3 HOUR FIRE-RESISTANCE RATING WHEN FULLY GROUTED AND 1 HOUR
 FIRE-RESISTANCE RATING WHEN PARTIALLY GROUTED OR HOLLOW, PER IBC CHAPTER 7 OR UL DESIGN NO. U935.
4. NON-LOAD BEARING - 1 HOUR FIRE-RESISTANCE UL ASSEMBLY RATING PER GENERIC ASSEMBLY ASSOCIATION FILE
 NUMBER WP-1072 OR IBC CHAPTER 7, UL DESIGN NO. V497 CAN BE UTILIZED AS AN ALTERNATE ASSEMBLY.
5. ALL WALL AND ROOF INSULATION INFORMATION SHALL BE PER ENERGY CODE ANALYSIS ON T1.1, UNLESS NOTED
 OTHERWISE.
6. SEE ENERGY CODE ANALYSIS ON T1.1 FOR VAPOR AND AIR BARRIER REQUIREMENTS AND LOCATION.
7. K1 & C4 WALL AT EXTERIOR ACCESS REFUSE LOCKER TO BE INSULATED TO BOTTOM OF DECK.

101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--



1 THIRD FLOOR LOCKER PLAN

LOAD BEARING LOCKER PARTITION:
 (U-05) 4"x2-1/2" STEEL CEE STUD POST,
 15" O.C. WITH MBCI U-PANEL ONE SIDE (TYP.).
 (REFER TO STRUCTURAL DRAWINGS FOR
 GAUGE). (U-05) 18GA. MID RAIL BRACING PER
 STRUCTURAL. SEE WALL TYPE NOTE 7.

NON-LOAD BEARING LOCKER PARTITION:
 UH-08 2-1/2"x1-5/8" CEE STUDS AT
 5'-0" O.C. WITH MBCI U-PANEL ONE SIDE.
 PREFINISHED MBCI D-PANEL AT AISLES.

MAXIMUM HEIGHT OF D-PANEL AT HALLWAYS/AISLES AND
 U-PANEL AT DEMISING WALLS SHOULD NOT EXCEED 10 FT.
 REFER TO STRUCTURAL FOR HEIGHT OF U-PANEL AT SHEAR
 AND LOAD BEARING WALLS.

WALL TYPE NOTES

- WATER-RESISTANT GYPSUM WALL BOARD TO BE USED AT ALL RESTROOMS, AND WITHIN STORAGE 108 ALONG SINK WALL.
- PREFINISHED D-PANEL TO APPLIED OVER ALL GYPSUM WALL BOARDS AT METAL STUD WALL TYPES THAT OCCUR AT AISLES (VERIFY LOCATIONS AS SHOWN ON THE BUILDING FLOOR PLANS.)
- 7 5/8 INCHES EQUIVALENT THICKNESS - 3 HOUR FIRE-RESISTANCE RATING WHEN FULLY GROUTED AND 1 HOUR FIRE-RESISTANCE RATING WHEN PARTIALLY GROUTED OR HOLLOW, PER IBC CHAPTER 7 OR UL DESIGN NO. U935.
- NON-LOAD BEARING - 1 HOUR FIRE-RESISTANCE UL ASSEMBLY RATING PER GENERIC ASSEMBLY GYPSUM ASSOCIATION FILE NUMBER WP-1072 OR IBC CHAPTER 7, UL DESIGN NO. V497 CAN BE UTILIZED AS AN ALTERNATE ASSEMBLY.
- ALL WALL AND ROOF INSULATION INFORMATION SHALL BE PER ENERGY CODE ANALYSIS ON T1.1, UNLESS NOTED OTHERWISE.
- SEE ENERGY CODE ANALYSIS ON T1.1 FOR VAPOR AND AIR BARRIER REQUIREMENTS AND LOCATION.
- K1 & C24 WALL AT EXTERIOR ACCESS REFUSE LOCKER TO BE INSULATED TO BOTTOM OF DECK.

(UH-05) Kick Plate/ Wall Type L & K2 & Wall Panel	4752.2 FT
(P1) (10'-0" H)	74.6 FT
(4'x4') FRP Panel	2.0 EA
Wall Type 'G'	143.2 FT
6A	107.0 EA
6B	212.0 EA
7B	9.0 EA
230A	1.0 EA
227	0.0 EA
231A	14.3 FT
Wall Type 'J1' 1 WR	7.6 FT
Wall Type 'R' 2 WR	1.0 EA
325 Door	

SEE ALL SERIES SHEETS FOR SOURCE
 CONSTRUCTION CODES.

CONTRACTOR SHALL OBTAIN STAMPING ABOUT
 PRIOR TO CONSTRUCTION. NOTIFY OWNER/ARCHITECT
 OF ANY DISCREPANCIES.

REFER TO SHEET A71 FOR DOOR TYPES AND
 RELATED NOTES.

REFER TO SHEET A72 FOR WINDOW TYPES (FINISH
 SCHEDULE AND RELATED NOTES).


ALL DOOR AND WINDOW DIMENSIONS ARE TO
 CENTERLINE OF RUAH OPENING.

REFER TO U-HALL INTERNATIONAL (UHI) STANDARD
 SPECIFICATIONS FOR MATERIAL AND REGULATION
 REQUIREMENTS.

ALL SECTIONS ARE SUBJECT TO APPROVAL BY
 OWNER-HS SUBMITTALS.

DIMENSIONS TO FACE OF FINISH.

REVISIONS:	
NO.	DATE
1	12.16.24
2	12.16.24
3	12.16.24
4	12.16.24
5	12.16.24
6	12.16.24
7	12.16.24
8	12.16.24
9	12.16.24
10	12.16.24
11	12.16.24
12	12.16.24
13	12.16.24
14	12.16.24
15	12.16.24
16	12.16.24
17	12.16.24
18	12.16.24
19	12.16.24
20	12.16.24
21	12.16.24
22	12.16.24
23	12.16.24
24	12.16.24
25	12.16.24
26	12.16.24
27	12.16.24
28	12.16.24
29	12.16.24
30	12.16.24
31	12.16.24
32	12.16.24
33	12.16.24
34	12.16.24
35	12.16.24
36	12.16.24
37	12.16.24
38	12.16.24
39	12.16.24
40	12.16.24
41	12.16.24
42	12.16.24
43	12.16.24
44	12.16.24
45	12.16.24
46	12.16.24
47	12.16.24
48	12.16.24
49	12.16.24
50	12.16.24
51	12.16.24
52	12.16.24
53	12.16.24
54	12.16.24
55	12.16.24
56	12.16.24
57	12.16.24
58	12.16.24
59	12.16.24
60	12.16.24
61	12.16.24
62	12.16.24
63	12.16.24
64	12.16.24
65	12.16.24
66	12.16.24
67	12.16.24
68	12.16.24
69	12.16.24
70	12.16.24
71	12.16.24
72	12.16.24
73	12.16.24
74	12.16.24
75	12.16.24
76	12.16.24
77	12.16.24
78	12.16.24
79	12.16.24
80	12.16.24
81	12.16.24
82	12.16.24
83	12.16.24
84	12.16.24
85	12.16.24
86	12.16.24
87	12.16.24
88	12.16.24
89	12.16.24
90	12.16.24
91	12.16.24
92	12.16.24
93	12.16.24
94	12.16.24
95	12.16.24
96	12.16.24
97	12.16.24
98	12.16.24
99	12.16.24
100	12.16.24
101	12.16.24
102	12.16.24
103	12.16.24
104	12.16.24
105	12.16.24
106	12.16.24
107	12.16.24
108	12.16.24
109	12.16.24
110	12.16.24
111	12.16.24
112	12.16.24
113	12.16.24
114	12.16.24
115	12.16.24
116	12.16.24
117	12.16.24
118	12.16.24
119	12.16.24
120	12.16.24
121	12.16.24
122	12.16.24
123	12.16.24
124	12.16.24
125	12.16.24
126	12.16.24
127	12.16.24
128	12.16.24
129	12.16.24
130	12.16.24
131	12.16.24
132	12.16.24
133	12.16.24
134	12.16.24
135	12.16.24
136	12.16.24
137	12.16.24
138	12.16.24
139	12.16.24
140	12.16.24
141	12.16.24
142	12.16.24
143	12.16.24
144	12.16.24
145	12.16.24
146	12.16.24
147	12.16.24
148	12.16.24
149	12.16.24
150	12.16.24
151	12.16.24
152	12.16.24
153	12.16.24
154	12.16.24
155	12.16.24
156	12.16.24
157	12.16.24
158	12.16.24
159	12.16.24
160	12.16.24
161	12.16.24
162	12.16.24
163	12.16.24
164	12.16.24
165	12.16.24
166	12.16.24
167	12.16.24
168	12.16.24
169	12.16.24
170	12.16.24
171	12.16.24
172	12.16.24
173	12.16.24
174	12.16.24
175	12.16.24
176	12.16.24
177	12.16.24
178	12.16.24
179	12.16.24
180	12.16.24
181	12.16.24
182	12.16.24
183	12.16.24
184	12.16.24
185	12.16.24
186	12.16.24
187	12.16.24
188	12.16.24
189	12.16.24
190	12.16.24
191	12.16.24
192	12.16.24
193	12.16.24
194	12.16.24
195	12.16.24
196	12.16.24
197	12.16.24
198	12.16.24
199	12.16.24
200	12.16.24
201	12.16.24
202	12.16.24
203	12.16.24
204	12.16.24
205	12.16.24
206	12.16.24
207	12.16.24
208	12.16.24
209	12.16.24
210	12.16.24
211	12.16.24
212	12.16.24
213	12.16.24
214	12.16.24
215	12.16.24
216	12.16.24
217	12.16.24
218	12.16.24
219	12.16.24
220	12.16.24
221	12.16.24
222	12.16.24
223	12.16.24
224	12.16.24
225	12.16.24
226	12.16.24
227	12.16.24
228	12.16.24
229	12.16.24
230	12.16.24
231	12.16.24
232	12.16.24
233	12.16.24
234	12.16.24
235	12.16.24
236	12.16.24
237	12.16.24
238	12.16.24
239	12.16.24
240	12.16.24
241	12.16.24
242	12.16.24
243	12.16.24
244	12.16.24
245	12.16.24
246	12.16.24
247	12.16.24
248	12.16.24
249	12.16.24
250	12.16.24
251	12.16.24
252	12.16.24
253	12.16.24
254	12.16.24
255	12.16.24
256	12.16.24
257	12.16.24
258	12.16.24
259	12.16.24
260	12.16.24
261	12.16.24
262	12.16.24
263	12.16.24
264	12.16.24
265	12.16.24
266	12.16.24
267	12.16.24
268	12.16.24
269	12.16.24
270	12.16.24
271	12.16.24
272	12.16.24
273	12.16.24
274	12.16.24
275	12.16.24
276	12.16.24
277	12.16.24
278	12.16.24
279	12.16.24
280	12.16.24
281	12.16.24
282	12.16.24
283	12.16.24
284	12.16.24
285	12.16.24
286	12.16.24
287	12.16.24
288	12.16.24
289	12.16.24
290	12.16.24
291	12.16.24
292	12.16.24
293	12.16.24
294	12.16.24
295	12.16.24
296	12.16.24
297	12.16.24
298	12.16.24
299	12.16.24
300	12.16.24
301	12.16.24
302	12.16.24
303	12.16.24
304	12.16.24
305	12.16.24
306	12.16.24
307	12.16.24
308	12.16.24
309	12.16.24
310	12.16.24
311	12.16.24
312	12.16.24
313	12.16.24
314	12.16.24
315	12.16.24
316	12.16.24
317	12.16.24
318	12.16.24
319	12.16.24
320	12.16.24
321	12.16.24
322	12.16.24
323	12.16.24
324	12.16.24
325	12.16.24
326	12.16.24
327	12.16.24
328	12.16.24
329	12.16.24
330	12.16.24
331	12.16.24
332	12.16.24
333	12.16.24
334	12.16.24
335	12.16.24
336	12.16.24
337	12.16.24
338	12.16.24
339	12.16.24
340	12.16.24
341	12.16.24
342	12.16.24
343	12.16.24
344	12.16.24
345	12.16.24
346	12.16.24
347	12.16.24
348	12.16.24
349	12.16.24
350	12.16.24
351	12.16.24
352	12.16.24
353	12.16.24
354	12.16.24
355	12.16.24
356	12.16.24



- NOTES
1. MINIMUM CLEAR HEIGHT IN ROOM 108 & 121 OF 11'-4" FOR OVERHEAD DOOR AND TRACK MINIMUM CLEAR HEIGHT OF 10'-6" FOR REST OF ROOM.
 2. FOLLOW "DESIGN DRAWING" OR DWG FROM UHI PHOENIX.
 3. ALL LOCKER DOORS LABELED WITH A 9 ARE INOPERABLE.

1 FOURTH FLOOR LOCKER PLAN

- LOAD BEARING LOCKER PARTITION:
 (UH-05) 4"x2-1/2" STEEL CEE STUD POST,
 15" O.C. WITH MBCI U-PANEL ONE SIDE (TYP).
 (REFER TO STRUCTURAL DRAWINGS FOR
 GAUGE). (SEE-25) 18GA. MID RAIL BRACING PER
 STRUCTURAL. SEE WALL TYPE NOTE 7.
- NON-LOAD BEARING LOCKER PARTITION:
 UH-08 2-1/2"x1-1/2" CEE STUDS AT
 5'-0" O.C. WITH MBCI U-PANEL ONE SIDE.
 PREFINISHED MBCI D-PANEL AT AISLES.

MAXIMUM HEIGHT OF D-PANEL AT HALLWAYS/ AISLES AND
 U-PANEL AT DEMISING WALLS SHOULD NOT EXCEED 10 FT.
 REFER TO STRUCTURAL FOR HEIGHT OF U-PANEL AT SHEAR
 AND LOAD BEARING WALLS.

WALL TYPE NOTES

1. WATER-RESISTANT GYPSUM WALL BOARD TO BE USED AT ALL RESTROOMS, AND WITHIN STORAGE 108 ALONG SINK WALL.
2. PREFINISHED D-PANEL TO APPLIED OVER ALL GYPSUM WALL BOARDS AT METAL STUD WALL TYPES THAT OCCUR AT AISLES (VERIFY LOCATIONS AS SHOWN ON THE BUILDING FLOOR PLANS.)
3. 7 5/8 INCHES EQUIVALENT THICKNESS - 3 HOUR FIRE-RESISTANCE RATING WHEN FULLY GROUTED AND 1 HOUR FIRE-RESISTANCE RATING WHEN PARTIALLY GROUTED OR HOLLOW, PER IBC CHAPTER 7 OR UL DESIGN NO. U935.
4. NON-LOAD BEARING - 1 HOUR FIRE-RESISTANCE UL ASSEMBLY RATING PER GENERIC ASSEMBLY GYPSUM ASSOCIATION FILE NUMBER WP-1072 OR IBC CHAPTER 7, UL DESIGN NO. V497 CAN BE UTILIZED AS AN ALTERNATE ASSEMBLY.
5. ALL WALL AND ROOF INSULATION INFORMATION SHALL BE PER ENERGY CODE ANALYSIS ON T1.1, UNLESS NOTED OTHERWISE.
6. SEE ENERGY CODE ANALYSIS ON T1.1 FOR VAPOR AND AIR BARRIER REQUIREMENTS AND LOCATION.
7. K1 & C24 WALL AT EXTERIOR ACCESS REFUSE LOCKER TO BE INSULATED TO BOTTOM OF DECK.

(UH-05) Kick Plate/ Wall Type L & K2 & Wall Panel	4754.6 FT
(P1) (11'-0" H)	85.7 FT
(4'x4') FRP Panel	2.0 EA
Wall Type 'G'	141.8 FT
6A	121.0 EA
6B	202.0 EA
431a	1.0 EA
430A	1.0 EA
427	1.0 EA

SEE ALL SERIES SHEETS FOR STORAGE
 CONSTRUCTION DETAILS.

CONTRACTOR SHALL COVER STORAGE UNITS
 PRIOR TO CONSTRUCTION. VERIFY DIMENSIONS
 OF ALL STORAGE UNITS.

REFER TO SHEET A01 FOR OTHER TYPES, FINISH
 SCHEDULE, AND RELATED NOTES.

ALL LOCK AND WINDOW DIMENSIONS ARE TO
 CONCLUDE OF FLOOR OPENING.

REFER TO U-HALL INTERNATIONAL, LEAD CHARGED
 SPECIFICATIONS FOR WELDING AND REINFORCEMENT
 REQUIREMENTS.

ALL SELECTIONS ARE SUBJECT TO APPROVAL BY
 OWNER-NO SUBSTITUTIONS.

DIMENSIONS TO FACE OF FRAMES.

SCALE: 3/32" = 1'-0"

REVISIONS:

NO.	DATE	BY	REVISIONS
1	12.16.24	BG	ISSUED FOR PERMIT SUBMITTAL
2	08.08.25	BG	BUILD A - PLAN CHECK COMMENTS

PROFESSIONAL SEAL:



ARCHITECT LOGO:



AMERCO REAL ESTATE COMPANY

CONSTRUCTION DEPARTMENT
 2727 NORTH CENTRAL AVENUE
 PHOENIX, ARIZONA 85004
 PH: (602) 263-6502

SITE ADDRESS:
 UHAIL OF KAPOLEI
 81-509 KAPOLEI KAI ST
 KAPOLEI, HI 96707
 BUILDING A
 TANK: (1) 9-1-175-019

SHEET CONTENTS:

FOURTH FLOOR
 LOCKER PLAN

705074

DRAWN: CC
 CHECKED: BG
 DATE:


A204

SHEET NOTES

TYPICAL WALL TYPE LIST

© 2022 AMERCO REAL ESTATE COMPANY

Revised Cycle 1 Rev. 4.01.26



SHEET NOTES:

REFER TO SHEET A2.0 FOR WALL TYPES AND RELATED NOTES.
 REFER TO SHEET A7.1 FOR DOOR TYPES AND RELATED NOTES.
 REFER TO SHEET A7.2 FOR WINDOW TYPES, FINISH SCHEDULE AND RELATED NOTES.

ALL DOOR AND WINDOW DIMENSIONS ARE TO CENTER LINE OF ROUGH OPENING.

REFER TO U-HALL INTERNATIONAL STANDARD SPECIFICATIONS FOR INTERIOR AND EXTERIOR REQUIREMENTS.

ALL SELECTIONS ARE SUBJECT TO APPROVAL BY OWNER-HO SUBSTITUTION.

REVISIONS:

NO.	DATE	BY	REVISION
1	12.16.24	BG	ISSUED FOR PERMIT SUBMITTAL
2	06.08.25	BG	BLOD A - PLAN CHECK COMMENTS

PROFESSIONAL SEAL:

ARCHITECT LOGO:

HillSide architecture inc.
 345 W. BOBWHITE CT
 SUITE 150
 BOWEN, OHI 43006
 P: 208-810-7745

NOTES

* MINIMUM CLEAR HEIGHT IN ROOM 108 OF 11'-4" FOR OVERHEAD DOOR AND TRACK

** MINIMUM CLEAR HEIGHT OF 10'-6" FOR REST OF ROOM.

SCALE: 1/4" = 1'-0"

1 ENLARGED SHOWROOM PLAN

- | | | |
|---|---|--|
| <p> 6" METAL STUDS AT 24" O.C. (UNO) WITH MBO U-PANEL OR D-PANEL AND KICK PLATE STORAGE SIDE AND 5/8" C.W.B. OTHER SIDE UNFACED R-19 BATT INSULATION TO STRUCTURE ABOVE. C.W.B. PER NOTE 1.</p> | <p> 5-1/2" CONCRETE TILT PANEL WALL, LIGHT BROOM FINISH (EXTERIOR SIDE ONLY). PANEL ISSUED TO RECEIVE 3/4" CHAMFER ON EXTERIOR SIDE, 30" ON INTERIOR SIDE. SEE NOTE 3.</p> | <p> 2-PURGING WITH INSULATED CHANNEL-SEE THICKNESS ROOM FINISH</p> |
| <p> 6" METAL STUDS AT 24" O.C. (UNO) WITH MBO D-PANEL STORAGE SIDE AND 5/8" C.W.B. OTHER SIDE UNFACED R-19 BATT INSULATION TO STRUCTURE ABOVE. C.W.B. PER NOTE 1.</p> | <p> 3-5/8" METAL STUDS AT 24" O.C. WITH SHIELD LAYER 5/8" C.W.B. EACH SIDE UNFACED R-19 BATT INSULATION AT ALL RESTROOM WALLS TO STRUCTURE ABOVE. PROVIDE M.R. C.W.B. PER NOTE 1.</p> | |
| <p> 6" METAL STUDS AT 24" O.C. (UNO) WITH MBO U-PANEL OR D-PANEL AND KICK PLATE SELF-STORAGE SIDE AND D-PANEL OTHER SIDE UNFACED R-19 BATT INSULATION TO STRUCTURE ABOVE.</p> | <p> 6" METAL STUDS AT 24" O.C. WITH 5/8" MOISTURE RESISTANT (M.R.) C.W.B. EACH SIDE PER NOTE 1 TO STRUCTURE ABOVE.</p> | |

TYPICAL WALL TYPE LIST

	Wall Type 'CC1'	89.7 FT
	Wall Type 'CC2' 1 Side WR	6.6 FT
	Wall Type 'CC2'	43.1 FT
	Wall Type 'J'	34.7 FT
	Wall Type 'J' 1 Side WR	14.5 FT
	Wall Type 'R' 2 Side WR	7.9 FT
	Wall Type 'CC3'	49.6 FT

- WALL TYPE NOTES**
- WATER-RESISTANT GYPSUM WALL BOARD TO BE USED AT ALL RESTROOMS, AND WITHIN STORAGE ROOM 108 ALONG SINK WALL.
 - PREFINISHED D-PANEL TO APPLIED OVER ALL GYPSUM WALL BOARD AT METAL STUD WALL TYPES THAT OCCUR AT AISLES (VERIFY LOCATIONS AS SHOWN ON THE BUILDING FLOOR PLANS.)
 - 7 5/8 INCHES EQUIVALENT THICKNESS - 3 HOUR FIRE-RESISTANCE RATING WHEN FULLY GROUTED AND 1 HOUR FIRE-RESISTANCE RATING WHEN PARTIALLY GROUTED OR HOLLOW, PER IBC CHAPTER 7 OR UL DESIGN NO. 1935.
 - NON-LOAD BEARING - 1 HOUR FIRE-RESISTANCE UL ASSEMBLY RATING PER GENERIC ASSEMBLY GYPSUM ASSOCIATION FILE NUMBER WF-1072 OR IBC CHAPTER 7, UL DESIGN NO. V497 CAN BE UTILIZED AS AN ALTERNATE ASSEMBLY.
 - ALL WALL AND ROOF INSULATION INFORMATION SHALL BE PER ENERGY CODE ANALYSIS ON T1.1, UNLESS NOTED OTHERWISE.
 - SEE ENERGY CODE ANALYSIS ON T1.1 FOR VAPOR AND AIR BARRIER REQUIREMENTS AND LOCATION.

AMERCO REAL ESTATE COMPANY

CONSTRUCTION DEPARTMENT
 2777 NORTH CENTRAL AVENUE
 PHOENIX, ARIZONA 85004
 PH: (602) 263-6502

SITE ADDRESS:
 UHAUL OF KAPOLEI
 91-509 KAPOLEI KAI ST
 KAPOLEI, HI 96707
 BUILDING A
 T.W.K. (1) 9-1-175-019



SHEET CONTENTS:

ENLARGED SHOWROOM PLAN

705074

DRAWN: CC
 CHECKED: BG
 DATE: A601

4x8 Plywood Sheet 94.5 SQ FT
4x8 Plywood Sheet/ 3 And 4 Floor 94.5 SQ FT



5. 7 5/8 INCHES EQUIVALENT THICKNESS - 3 HOUR FIRE-RESISTANCE RATING WHEN FULLY GROUTED AND 1 HOUR FIRE-RESISTANCE RATING WHEN PARTIALLY GROUTED OR HOLLOW PER IBC CHAPTER 7 OR UL DESIGN NO. U935.
6. 8" CMU WALL PER STRUCTURAL DRAWINGS; FIRE-RESISTANCE RATED UL ASSEMBLY PER NOTE 5.
7. LOAD BEARING LOCKER PARTITION: UH-15 4"x2-1/2" STEEL CEE STUD POST, 15" O.C. WITH MBO U-PANEL ONE SIDE (TYP). (REFER TO STRUCTURAL DRAWINGS FOR GAUGE). UH-08 18GA. MD RAIL BRACING PER STRUCTURAL.
8. LOAD BEARING LOCKER PARTITION: UH-15 4"x2-1/2" STEEL CEE STUD POST, 30" O.C. WITH MBO U-PANEL ONE SIDE (TYP). (REFER TO STRUCTURAL DRAWINGS FOR GAUGE). UH-08 18GA. MD RAIL BRACING PER STRUCTURAL.
9. LOAD BEARING LOCKER PARTITION: UH-15 4"x2-1/2" STEEL CEE STUD POSTS, 60" O.C. WITH MBO U-PANEL ONE SIDE (TYP). (REFER TO STRUCTURAL DRAWINGS FOR GAUGE). UH-08 18GA. MD RAIL BRACING PER STRUCTURAL.
10. NON-LOAD BEARING LOCKER PARTITION: 2-1/2"x1-5/8" CEE STUDS AT 5'-0" O.C. WITH MBO U-PANEL ONE SIDE. PREFINISHED MBO U-PANEL AT ASLES.

WALL TYPES & NOTES

KEY NOTES:

- SECURITY RAILS IF REQUIRED
- ELECTRICAL OUTLETS FOR SECURITY EQUIPMENT COORDINATE QUANTITY & LOCATION WITH PLANS
- 4X8 PLYWOOD SHEETS FOR MOUNTING EQUIPMENT
- LIGHTING PER PLANS
- ELECTRICAL PANELS PER DRAWINGS
- ROLL-UP LOCKER DOOR PER PLANS
- HOSE BIB W/MIXER VALVE SEE PLUMBING DRAWINGS
- MOP SINK SEE PLUMBING PLANS
- ROOF HATCH LADDER AT TOP FLOOR ROOM ONLY (SHOWN FOR LOCATION ONLY)
- ELECTRICAL TRANSFORMER ON CONCRETE PAD
- 4"x4" FRP PANEL (TYPICAL 2 WALLS BEHIND MOP SINK)

SHEET NOTES:

REFER TO SHEET A2.0 FOR WALL TYPES AND RELATED NOTES.
REFER TO SHEET A7.1 FOR DOOR TYPES AND RELATED NOTES.
REFER TO SHEET A7.2 FOR WINDOW TYPES, FINISH SCHEDULE AND RELATED NOTES.
ALL DOOR AND WINDOW DIMENSIONS ARE TO CENTER LINE OF ROUGH OPENING.
REFER TO U-HALL INTERNATIONAL STANDARD SPECIFICATIONS FOR INTERIOR AND EXTERIOR REQUIREMENTS.
ALL SELECTIONS ARE SUBJECT TO APPROVAL BY OWNER-HO SUBSTITUTION.

REVISIONS:

NO.	DATE	BY	CHK	APP	REVISED	COMMENTS
1	12.16.24	BG				BID/PERMIT SUBMITTAL
2	08.08.25	BG				BID A - PLAN CHECK COMMENTS

PROFESSIONAL SEAL:



ARCHITECT LOGO:



AMERCO REAL ESTATE COMPANY

CONSTRUCTION DEPARTMENT
2727 NORTH CENTRAL AVENUE
PHOENIX, ARIZONA 85004
PH: (602) 263-6502

SITE ADDRESS:
UH-HALL OF KAPOLEI
91-509 KAPOLEI KAI ST
3 KAPOLEI, HI 96707
BUILDING A
TANK: (1) 9-1-175-019

SHEET CONTENTS:

ENLARGED
MOP / COMM ROOM
SAMPLE WALL ELEVATIONS

705074


DRAWN: CC
CHECKED: BG
DATE: 12/16/24
A634

2 UPPER FLOOR ENLARGED MOP / COMM. ROOM PLAN

SCALE: 3/4" = 1'-0"


1 FIRST FLOOR ENLARGED MOP / COMM. ROOM PLAN

SCALE: 3/4" = 1'-0"




6 MOP/COMM

SCALE: 1/2" = 1'-0"




5 MOP/COMM

SCALE: 1/2" = 1'-0"



4 MOP/COMM

SCALE: 1/2" = 1'-0"




3 MOP/COMM

SCALE: 1/2" = 1'-0"

DOOR #	LOCATION USED	DOOR FINISH
100	SHOWROOM TO STORAGE	SHOWROOM SIDE (P28) STORAGE SIDE (P1)
100	SHOWROOM ADDITIONAL EXIT MANUVER IF REQUIRED	SHOWROOM SIDE (P28) & EXTERIOR SIDE MATCH ADJACENT EXTERIOR WALL COLOR
101	SHOWROOM TO OFFICE	(P28) ACCESSIBLE BEIGE - BOTH SIDES
102	SHOWROOM TO BREAKROOM	(P28) ACCESSIBLE BEIGE - BOTH SIDES
103	SHOWROOM TO RESTROOM	U-HAUL BLACK (P100) - BOTH SIDES
107	FIRE RISER RM TO EXTERIOR	RISER ROOM SIDE (NO PAINT) EXTERIOR SIDE TO MATCH ADJACENT WALL COLOR
108	REFUSE RM TO EXTERIOR	REFUSE ROOM SIDE (NO PAINT) EXTERIOR SIDE TO MATCH ADJACENT WALL COLOR
109	24 HR STORAGE ENTRANCE LOBBY TO EXTERIOR	U-HAUL BLACK (P100) - BOTH SIDES
120, 121	STORAGE EXTERIOR STAIR EXIT DOOR	STORAGE SIDE (P1), EXTERIOR SIDE TO MATCH ADJACENT WALL COLOR
120, 121	STORAGE BATHROOM TO STORAGE	U-HAUL BLACK (P100) - BOTH SIDES
121	ELEVATOR EQUIPMENT RM TO STORAGE	ELEVATOR EQUIP RM SIDE (NO PAINT) STORAGE SIDE (P1)
120, 121	STORAGE TO EXTERIOR STAIRWELL	U-HAUL BLACK (P100) - BOTH SIDES
120	STAIRWELL EXTERIOR EXIT DOOR	STAIRWELL SIDE (P100) EXTERIOR SIDE TO MATCH ADJACENT WALL COLOR

PTD (P28) (12'-2" H)	171.7 FT
PTD (P28) (9'-0" H)	82.8 FT
(P28) (10'-0" H)	11.8 FT
(P1) (11'-2" H)	11.9 FT
(P1) (10'-0" H)	69.2 FT
Acoustical Ceiling 'ACT'	212.9 SQ FT
MR Gypsum Board Ceiling 'GWB'	90.8 SQ FT
PTD (P1)	90.8 SQ FT
(UH-01) Pre-Finished PBD Panel (10'-0" H)	366.8 FT
(UH-01) Pre-Finished PBD Panel (10'-0" H)	80.1 FT
(UH-02) Pre-Finished PBU Panel (10'-0" H)	52.2 FT
(UH-01) Pre-Finished PBD Panel (10'-0" H)	70.7 FT



SEE SHEET A-0 FOR WALL TYPES
AND MORE INFORMATION

CONTRACTOR SHALL CONFIRM STORAGE
LAYERS PRIOR TO CONSTRUCTION.
NOTE: OWNER/ARCHITECT OF ANY
CONSTRUCTION

REFER TO U-HAUL INTERNATIONAL
(U-I) STANDARD SPECIFICATIONS FOR
INTERIOR AND INSTALLATION
REQUIREMENTS

ALL SELECTIONS ARE SUBJECT TO
APPROVAL BY OWNER-40
SUBSTITUTIONS



SCALE: 1/16" = 1'-0"

REVISIONS:

NO.	DATE	REVISION	NOTES
1	12.16.24	BO/PERMIT SUBMITTAL	
2	06.08.25	BO	

PROFESSIONAL SEAL:



ARCHITECT LOGO:

HillSide
architectural
348 W. BOBWHITE CT
SUITE 150
BOHE, ID 83606
P: 208-810-7748

AMERCO REAL ESTATE COMPANY

CONSTRUCTION DOCUMENT
277 NORTH CENTRAL AVENUE
PHOENIX, ARIZONA 85004
PH: (602) 283-6502

SITE ADDRESS:
UHAUL OF KAPOLEI
91-509 KAPOLEI KAI ST
KAPOLEI, HI 96707
BUILDING A
TWK: (1) 9-1-175-019

SHEET CONTENTS:

FIRST FLOOR
FINISH PLAN
AND SCHEDULE

705074

DRAWN: CC
CHECKED: BG
DATE: A7.3

Permit Cycle 1 Req. 4.01.26

1 FIRST FLOOR FINISH PLAN

- 1 PAINT CMU TO 10' ULTRA WHITE - HIGH GLOSS (COLOR P1)
- 2 EXPOSED CMU - NO PAINT
- 3 EXPOSED CONCRETE TILT PANEL - NO PAINT OR FURRING
- 4 (UH-01) PRE-FINISHED PBD PANEL (HIGH GLOSS WHITE FINISH) TO BOTTOM OF DECK, WITH KICK PLATE (UH-05) NO DRYWALL BEHIND PANEL
- 5 (UH-01) PRE-FINISHED PBD PANEL (HIGH GLOSS WHITE FINISH) / TO 10' WITH KICK PLATE (UH-05) W/ REQUIRED DRYWALL THICKNESS (NO PAINT) TO MEET THE FIRE RATING, TO BOTTOM OF DECK
- 6 (UH-02) PRE-FINISHED PBU PANEL (GALVALUME FINISH) W/ REQUIRED DRYWALL THICKNESS (NO PAINT) TO MEET THE FIRE RATING, TO BOTTOM OF DECK
- 7 (UH-02) PRE-FINISHED PBU PANEL (GALVALUME FINISH), TO BOTTOM OF DECK
- 8 NO ADDITIONAL WALL FINISH THIS AREA, EXPOSED PRE-FINISHED IMP PANEL
- 9 PAINT (P1) ULTRA WHITE HIGH GLOSS TO TOP OF COLUMN - OWNERS REP (O.R.) TO VERIFY WITH BID BOOK FOR PAINT REQUIREMENTS
- 10 DRYWALL PER PLANS (LEVEL 5 FINISH) / PAINT "ACCESSIBLE BEIGE" (P28)
- 11 STAIRS - PRIMER FROM SUPPLIER - NO FINISH PAINT
- 12 TILE TO 5', PAINT DRYWALL (LEVEL 5 FINISH) ABOVE, PAINT "PENNYWISE" (P67)
- 13 CONCRETE TILT PANEL W/ FURRING & DRYWALL PER PLANS, TILE TO 5', PAINT LEVEL 4 DRYWALL ABOVE "PENNYWISE" (P67)
- 14 SHOWROOM COLUMNS - PAINT "ACCESSIBLE BEIGE" (P28) TO 10' OR COLUMN TO BEAM INTERSECT

- 15 COLOR: SHERWIN-WILLIAMS "ULTRA WHITE" - HIGH GLOSS (UHAUL COLOR P1)
- 16 COLOR: SHERWIN-WILLIAMS "ACCESSIBLE BEIGE" (UHAUL COLOR P28)
- 17 COLOR: SHERWIN-WILLIAMS "PENNYWISE" (SHER-001 HIGH GLOSS)
- 18 COLOR: SHERWIN-WILLIAMS "BLACK" - EGG SHELL (DOOR & FRAME) (UHAUL COLOR P100)
- 19 (UH-01) MBO PBD PANEL : PRE-FINISHED "HIGH GLOSS WHITE"
- 20 (UH-02) MBO PBU PANEL : GALVALUME FINISH

NOTE:
SEE UHAUL PAINT SPECIFICATION BOOK FOR PART NUMBERS ON
ALL UHAUL SHERWIN WILLIAMS PAINTS. VERIFY BEFORE ORDERING
WITH UHAUL OWNERS REPRESENTATIVE.

UHAUL COLOR CONFIRM WITH UHAUL PAINT SPECIFICATIONS FOR
PART NUMBERS WHEN ORDERING.

MATERIAL PROVIDER COLOR VERIFY WITH IMAGE BOOK BEFORE
ORDERING.

KEYNOTES

ROOM #	ROOM NAME	FLOOR MATERIAL	FLOOR FINISH	BASE MATERIAL	WALL 'A' FINISH	WALL 'B' FINISH	WALL 'C' FINISH	WALL 'D' FINISH	WAINSCOT	CEILING TYPE	CEILING HEIGHT	FIRE RATING
100	SHOWROOM	CONC	STAINED	VCB	PTD (P28)	PTD (P28)	PTD (P28)	PTD (P28)	-	EXPOSED	VARIES	
101	OFFICE	CONC	STAINED	VCB	PTD (P28)	PTD (P28)	PTD (P28)	PTD (P28)	-	ACT	9'-0"	
102	BREAK ROOM	CONC	STAINED	VCB	PTD (P28)	PTD (P28)	PTD (P28)	PTD (P28)	-	ACT	9'-0"	
103	SINGLE OCCUPANCY RESTROOM(S)	CONC	TILE-F	TILE-W	TILE-W/PTD P67	TILE-W/PTD P67	TILE-W/PTD P67	TILE-W/PTD P67	TILE-W	GWB/PTD P1	9'-0"	
107	FIRE RISER ROOM	CONC	EXPOSED	-	EXPOSED	EXPOSED	EXPOSED	EXPOSED	-	-	-	1HR FIRE RATING
108	STORAGE	CONC	EXPOSED	UH-05 KP	PBD/HIGH GLOSS WHITE	PBD/HIGH GLOSS WHITE	PBD/HIGH GLOSS WHITE	PBD/HIGH GLOSS WHITE	-	EXPOSED	-	
109	REFUSE	CONC	EXPOSED	-	PBU PANEL	PBU PANEL	PBU PANEL	PBU PANEL	-	EXPOSED	-	
110	SELF STORAGE LOBBY	CONC	EXPOSED	UH-05 KP	PRE-F/TILT	VARIES	VARIES	VARIES	-	EXPOSED	-	
120/220/320	SELF STORAGE (CORRIDOR)	CONC	EXPOSED	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	-	EXPOSED	-	
121	STORAGE	CONC	EXPOSED	UH-02 KP	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	-	EXPOSED	-	
128	ELEVATOR EQUIPMENT ROOM	CONC	EXPOSED	-	GWB	GWB	GWB	GWB	-	-	-	1HR FIRE RATING
125/225	SINGLE OCCUPANCY RESTROOM(S) INSIDE	CONC	TILE-F	TILE-W	TILE-W/PTD P67	TILE-W/PTD P67	TILE-W/PTD P67	TILE-W/PTD P67	TILE-W	GWB/PTD P1	9'-0"	
127/227/327	MOP/COMM ROOM	CONC	EXPOSED	-	VARIES	VARIES	VARIES	VARIES	-	-	-	
130/230/330	INTERIOR STAIR	CONC	EXPOSED	-	EXPOSED	EXPOSED	EXPOSED	EXPOSED	-	-	-	

COLOR LEGEND

NOTES (SEE SHEET NOTES FOR ADDITIONAL INFORMATION)

STAIN CONCRETE FLOOR COHILLS "AGED BRONZE" - SEE SHEET A6.01 FOR MORE INFORMATION

STAIN CONCRETE FLOOR COHILLS "AGED BRONZE"

STAIN CONCRETE FLOOR COHILLS "AGED BRONZE"

12"x12" CERAMIC WALL TILE RESEMBLE TRAVERTINE USED AS A 60" HIGH WAINSCOT, BRCK PATTERN, SEE RESTROOM SHEET A6.34 FOR ADDITIONAL INFORMATION

1 HR FIRE WALLS, INTERIOR SIDE FIRE TAPE OYP BOARD, STORAGE SIDE D-PANEL / U-PANEL PER LOCATION (NO PAINT)

INTERIOR SIDE PLYWOOD/GYP AT ELECTRICAL SERVICE WALL, PROVIDE SMOOTH SURFACE, NO D-PANEL AT TILT WALLS, AT MET WALLS PROVIDE FRP. (PRE FINISHED)

FOR ADDITIONAL INFORMATION SEE FLOOR PLAN

EXPOSED TILT PANEL AT ENTRANCE - NO PAINT, EXPOSED CMU AT ELEVATOR PAINT "HIGH GLOSS WHITE" (P10 TO 10')

PROVIDE (UH-01) MBO PBD PANEL WITH KICK PLATE. (PRE FINISHED)

PROVIDE (UH-01) MBO PBD PANEL WITH KICK PLATE. (PRE FINISHED)

1 HR FIRE WALLS, INTERIOR SIDE FIRE TAPE OYP BOARD, STORAGE SIDE D-PANEL / U-PANEL PER LOCATION (NO PAINT)

SEE RESTROOM SHEET A6.34 FOR ADDITIONAL INFORMATION

FRP AT NET WALLS, SEE MOP/COMM ROOM SHEET A6.35 FOR ADDITIONAL WALL FINISH INFORMATION

NO PAINT INTERIOR SIDE, PAINT EXPOSED CMU STORAGE AISLE SIDE - "HIGH GLOSS WHITE" (P1) TO 10'.

FINISH SCHEDULE

DOOR/ ROOM #	LOCATION USED	FINISH	ROOM # SIDE COLOR	ROOM # SIDE COLOR
100	SHOWROOM 100 TO STORAGE RM 108	FACTORY PRIMED - FIELD PAINT MATCH ADJACENT WALLS	SHOWROOM 100 (P28) ACCESSIBLE BEIGE	STORAGE 108 (P1) ULTRA WHITE HIGH GLOSS
100	SHOWROOM 100 ADDITIONAL EXT WANDOR IF REQUIRED	FACTORY PRIMED - FIELD PAINT MATCH ADJACENT WALLS (P28) & MATCH ADJACENT EXTERIOR WALL COLOR	SHOWROOM 100 (P28) ACCESSIBLE BEIGE	EXTERIOR SIDE MATCH ADJACENT WALL
101	SHOWROOM 100 TO OFFICE 101	FACTORY PRIMED - FIELD PAINT (P28) ACCESSIBLE BEIGE - BOTH SIDES	(P28) ACCESSIBLE BEIGE	(P28) ACCESSIBLE BEIGE
102	SHOWROOM 100 TO BREAKROOM 102	FACTORY PRIMED - FIELD PAINT (P28) ACCESSIBLE BEIGE - BOTH SIDES	(P28) ACCESSIBLE BEIGE	(P28) ACCESSIBLE BEIGE
103	SHOWROOM 100 TO RESTROOM 103	FACTORY PRIMED - FIELD PAINT U-HAUL BLACK (P100) - BOTH SIDES	(P100) - U-HAUL EGG SHELL BLACK	(P100) - U-HAUL EGG SHELL BLACK
107	FIRE RISER RM 107	FACTORY PRIMED - FIELD PAINT TO MATCH ADJACENT WALLS	NO PAINT	EXTERIOR SIDE MATCH ADJACENT WALL
109	REFUSE RM 109	FACTORY PRIMED - FIELD PAINT TO MATCH ADJACENT WALLS	NO PAINT	EXTERIOR SIDE MATCH ADJACENT WALL
110	24 HR STORAGE ENTRANCE LOBBY 110	FACTORY PRIMED - FIELD PAINT U-HAUL BLACK (P100) - BOTH SIDES	(P100) - U-HAUL EGG SHELL BLACK	(P100) - U-HAUL EGG SHELL BLACK
120, 122	STAR EXIT DOOR STORAGE 120/220/ETC...	FACTORY PRIMED - FIELD PAINT TO MATCH ADJACENT WALLS	(P1) ULTRA WHITE - HIGH GLOSS	EXTERIOR SIDE MATCH ADJACENT WALL
121, 123	STORAGE BATHROOM DOOR	FACTORY PRIMED - FIELD PAINT U-HAUL BLACK (P100) - BOTH SIDES	(P100) - U-HAUL EGG SHELL BLACK	(P100) - U-HAUL EGG SHELL BLACK
128	ELEVATOR EQUIPMENT RM 128 TO STORAGE 120	FACTORY PRIMED - FIELD PAINT TO MATCH ADJACENT WALLS	NO PAINT	STORAGE 120 (P1) ULTRA WHITE - HIGH GLOSS
129, 130	STORAGE 120/220/ETC... TO EXTERIOR STAIRWELL	FACTORY PRIMED - FIELD PAINT U-HAUL BLACK (P100) - BOTH SIDES	(P1) ULTRA WHITE - HIGH GLOSS	STAIRWELL SIDE (P100) EGG SHELL BLACK
130	STAIRWELL EXTERIOR EXT DOOR	FACTORY PRIMED - FIELD PAINT TO MATCH ADJACENT WALLS	STAIRWELL SIDE (P100) - U-HAUL EGG SHELL BLACK	EXTERIOR SIDE MATCH ADJACENT WALL



MR Gypsum Board Ceiling 'GWB'
PTD (P1)

44.8 SQ FT
44.8 SQ FT

SEE SHEET A-0 FOR WALL TYPES AND MORE INFORMATION.
CONTRACTOR SHALL CONFIRM STORAGE LAYOUT PRIOR TO CONSTRUCTION. VERIFY OWNERS/ARCHITECT OF ANY DISCREPANCIES.
REFER TO U-HAUL INTERNATIONAL (U-I) STANDARD SPECIFICATIONS FOR MATERIAL AND INSTALLATION REQUIREMENTS.
ALL SELECTIONS ARE SUBJECT TO APPROVAL BY OWNER-40 SUBSTITUTION.

REVISIONS:

NO.	DATE	REVISED	NOTES
1	12.16.24	BO	12.16.24 BO
2	06.08.25	BO	06.08.25 BO
3			
4			
5			
6			
7			
8			
9			
10			

PROFESSIONAL SEAL:



SCALE: 1/16" = 1'-0"

ARCHITECT LOGO:

HillSide
architecture, LLC
345 W. BOBWHITE CT
SUITE 150
BOHE, ID 83706
P: 208-810-8748

AMERCO
REAL ESTATE COMPANY

CONSTRUCTION DEPARTMENT
2727 NORTH CENTRAL AVENUE
PHOENIX, ARIZONA 85004
PH: (602) 283-6502

SITE ADDRESS:
UHAUL OF KAPOLEI
91-509 KAPOLEI KAI ST
KAPOLEI, HI 96707
BUILDING A
T.M.K. (1) 9-1-175-019

SHEET CONTENTS:

UPPER FLOOR
FINISH PLAN
AND SCHEDULE

705074

DRAWN: CC
CHECKED: BG
DATE: A7.4

Permit Cycle 1 Req. 4.81.26

1 UPPER FLOOR FINISH PLAN

- 1 PAINT CMU TO 10' ULTRA WHITE - HIGH GLOSS (COLOR P1)
- 2 EXPOSED CMU - NO PAINT
- 3 EXPOSED CONCRETE TILT PANEL - NO PAINT OR FURRING
- 4 (UH-01) PRE-FINISHED PBD PANEL (HIGH GLOSS WHITE FINISH) TO BOTTOM OF DECK, WITH KICK PLATE (UH-05) NO DRYWALL BEHIND PANEL
- 5 (UH-01) PRE-FINISHED PBD PANEL (HIGH GLOSS WHITE FINISH) TO 10' WITH KICK PLATE (UH-05) W/ REQUIRED DRYWALL THICKNESS (NO PAINT) TO MEET 1HR FIRE RATING, TO BOTTOM OF DECK
- 6 (UH-02) PRE-FINISHED PBU PANEL (GALVALUME FINISH) W/ REQUIRED DRYWALL THICKNESS (NO PAINT) TO MEET 1HR FIRE RATING, TO BOTTOM OF DECK
- 7 (UH-02) PRE-FINISHED PBU PANEL (GALVALUME FINISH) TO BOTTOM OF DECK
- 8 NO ADDITIONAL WALL FINISH THIS AREA, EXPOSED PRE-FINISHED IMP PANEL
- 9 PAINT (P1) ULTRA WHITE HIGH GLOSS TO TOP OF COLUMN - OWNERS REP (O.R.) TO VERIFY WITH BSO BOOK FOR PAINT REQUIREMENTS.
- 10 DRYWALL PER PLANS (LEVEL 5 FINISH) - PAINT "ACCESSIBLE BEIGE" (P28)
- 11 STAIRS - PRIMER FROM SUPPLIER - NO FINISH PAINT
- 12 TILE TO 5', PAINT DRYWALL (LEVEL 5 FINISH) ABOVE, PAINT "PENNYWISE" (P67)
- 13 CONCRETE TILT PANEL W/ FURRING & DRYWALL PER PLANS, TILE TO 5', PAINT LEVEL 4 DRYWALL ABOVE "PENNYWISE" (P67)
- 14 SHOWROOM COLUMNS - PAINT "ACCESSIBLE BEIGE" (P28) TO 10' OR COLUMN TO BEAM INTERSECT.

- 15 COLOR: SHERWIN-WILLIAMS "ULTRA WHITE" - HIGH GLOSS (UHAUL COLOR P1)
- 16 COLOR: SHERWIN-WILLIAMS "ACCESSIBLE BEIGE" (UHAUL COLOR P28)
- 17 COLOR: SHERWIN-WILLIAMS "PENNYWISE" (SHW-ORL HIGH GLOSS)
- 18 COLOR: SHERWIN-WILLIAMS "BLACK" - EGG SHELL (DOOR & FRAME) (UHAUL COLOR P100)
- 19 (UH-01) MBI PBD PANEL - PRE-FINISHED "HIGH GLOSS WHITE"
- 20 (UH-02) MBI PBU PANEL - GALVALUME FINISH

NOTE:
SEE UHAUL PAINT SPECIFICATION BOOK FOR PART NUMBERS ON ALL UHAUL SHERWIN WILLIAMS PAINTS. VERIFY BEFORE ORDERING WITH UHAUL OWNERS REPRESENTATIVE.
UHAUL COLOR CONFIRM WITH UHAUL PAINT SPECIFICATIONS FOR PART NUMBERS WHEN ORDERING.
MATERIAL PROVIDER COLOR VERIFY WITH IMAGE BOOK BEFORE ORDERING.

KEYNOTES

ROOM #	ROOM NAME	FLOOR MATERIAL	FLOOR FINISH	BASE MATERIAL	WALL 'A' FINISH	WALL 'B' FINISH	WALL 'C' FINISH	WALL 'D' FINISH	WAINSCOT	CEILING TYPE	CEILING HEIGHT	FIRE RATING
100	SHOWROOM	CONC	STAINED	VCB	PTD (P28)	PTD (P28)	PTD (P28)	PTD (P28)	-	EXPOSED	VARIES	
101	OFFICE	CONC	STAINED	VCB	PTD (P28)	PTD (P28)	PTD (P28)	PTD (P28)	-	ACT	9'-0"	
102	BREAK ROOM	CONC	STAINED	VCB	PTD (P28)	PTD (P28)	PTD (P28)	PTD (P28)	-	ACT	9'-0"	
103	SINGLE OCCUPANCY RESTROOM(S)	CONC	TILE-F	TILE-W	TILE-W/PTD (P67)	TILE-W/PTD (P67)	TILE-W/PTD (P67)	TILE-W/PTD (P67)	TILE-W	GWB/PTD P1	9'-0"	
107	FIRE RISER ROOM	CONC	EXPOSED	-	EXPOSED	EXPOSED	EXPOSED	EXPOSED	-	-	-	1HR FIRE RATING
108	STORAGE	CONC	EXPOSED	UH-05 KP	PBD/HIGH GLOSS WHITE	PBD/HIGH GLOSS WHITE	PBD/HIGH GLOSS WHITE	PBD/HIGH GLOSS WHITE	-	EXPOSED	-	
109	REFUSE	CONC	EXPOSED	-	PBU PANEL	PBU PANEL	PBU PANEL	PBU PANEL	-	EXPOSED	-	
110	SELF STORAGE LOBBY	CONC	EXPOSED	UH-05 KP	PRE-F/TLT	VARIES	VARIES	VARIES	-	EXPOSED	-	
120/220/320	SELF STORAGE (CORRIDOR)	CONC	EXPOSED	UH-05 KP	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	-	EXPOSED	-	
121	STORAGE	CONC	EXPOSED	UH-05 KP	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	UH-01 PRE-FINISHED HIGH GLOSS WHITE	-	EXPOSED	-	
128	ELEVATOR EQUIPMENT ROOM	CONC	EXPOSED	-	GWB	GWB	GWB	GWB	-	-	-	1HR FIRE RATING
125/225	SINGLE OCCUPANCY RESTROOM(S) INSIDE	CONC	TILE-F	TILE-W	TILE-W/PTD (P67)	TILE-W/PTD (P67)	TILE-W/PTD (P67)	TILE-W/PTD (P67)	TILE-W	GWB/PTD P1	9'-0"	
127/227/327	WOP/COMM ROOM	CONC	EXPOSED	-	VARIES	VARIES	VARIES	VARIES	-	-	-	
130/230/330	INTERIOR STAIR	CONC	EXPOSED	-	EXPOSED	EXPOSED	EXPOSED	EXPOSED	-	-	-	

FINISH SCHEDULE

COLOR LEGEND

NOTES (SEE SHEET NOTES FOR ADDITIONAL INFORMATION)

STAIN CONCRETE FLOOR COHLLS "AGED BRONZE" - SEE SHEET A6.01 FOR MORE INFORMATION

STAIN CONCRETE FLOOR COHLLS "AGED BRONZE"

STAIN CONCRETE FLOOR COHLLS "AGED BRONZE"

12"x12" CERAMIC WALL TILE RESEMBLE TRAVERTINE USED AS A 60" HIGH WAINSCOT, BRICK PATTERN; SEE RESTROOM SHEET A6.34 FOR ADDITIONAL INFORMATION

1 HR FIRE WALLS, INTERIOR SIDE FIRE TAPE GYP BOARD, STORAGE SIDE D-PANEL / U-PANEL PER LOCATION (NO PAINT)

INTERIOR SIDE: PLYWOOD/GYP AT ELECTRICAL SERVICE WALL, PROVIDE SMOOTH SURFACE, NO D-PANEL AT TILT WALLS, AT MET WALLS PROVIDE FRP. (PRE FINISHED)

FOR ADDITIONAL INFORMATION SEE FLOOR PLAN

EXPOSED TILT PANEL AT ENTRANCE - NO PAINT, EXPOSED CMU AT ELEVATOR PAINT "HIGH GLOSS WHITE" (P10 TO 10')

PROVIDE (UH-01) MBI PBD PANEL WITH KICK PLATE. (PRE FINISHED)

PROVIDE (UH-01) MBI PBD PANEL WITH KICK PLATE. (PRE FINISHED)

1 HR FIRE WALLS, INTERIOR SIDE FIRE TAPE GYP BOARD, STORAGE SIDE D-PANEL / U-PANEL PER LOCATION (NO PAINT)

SEE RESTROOM SHEET A6.34 FOR ADDITIONAL INFORMATION

FRP AT NET WALLS, SEE WOP/COMM ROOM SHEET A6.35. FOR ADDITIONAL WALL FINISH INFORMATION.

NO PAINT INTERIOR SIDE, PAINT EXPOSED CMU STORAGE AISLE SIDE - "HIGH GLOSS WHITE" (P1) TO 10'.